

It's good to work with
WG S
WEB GRANITE SUPPLIES
CATALOGUE
POWERFULL LEADER OF DIAMOND TOOLS



MAX AGGRESSIVE ZENESIS™



ABACO MACHINES USA
MATERIAL HANDLING SOLUTIONS



BelliniZorri™ SINCE 1937



WEB GRANITE SUPPLIES

CUTTING

TURBO BLADES 3
 ELECTROPLATED BLADES 5
 CONTOUR BLADES 6
 PORCELAIN TILE BLADES 7
 ROODING BLADES 8
 BRIDGE SAW BLADES 9

POLISHING SYSTEMS

POLISHING PADS 7 STEPS WET 15
 POLISHING PADS 7 STEPS WET WHITE 16
 POLISHING PADS 7 STEPS DRY 17
 POLISHING PADS 3 STEPS 18
 POLISHING PADS 19
 AUTO EDGE WHEELS 20
 SANDPAPER DISCS 21
 BACK-UP DISCS 22

DRILLING

CORE BITS 23

GRINDING

CUP WHEELS 26
 GRINDING WHEELS, WHEEL DRESSERS 28

PROFILING TOOLS

ROUTER BITS AND PROFILING TOOLS 29

CNC TOOLING

CNC FINGER BITS 31
 CNC CORE BITS AND GRINDING 32

MATERIAL HANDLING

STONE LIFTERS 33
 A-FRAMES 34
 TABLES 36
 CARTS AND POLLIES 37
 CLAMPS 39
 SINK SETTERS 40
 RACKS 41
 BOOMS AND DUMPSTERS 42
 ACCESSORIES 43

INSTALLATION AND SHOP SUPPLIES

ACCESSORIES 44
 SAFETY 49

MACHINES

MACHINES 51

ADHESIVES

ADHESIVES 55

COLOR PIGMENTS, HARDENER AND INSTANT GLUES

COLOR 56

CAULKS AND SEALANTS

CAULKS AND SEALANTS 57

CHEMICALS

IMPREGNATORS AND SEALERS 58
 ENHANCER 59
 CLEANERS 60
 WAXES AND POLISHES 61

STAINLESS STEEL SINKS

SINKS 63

PROFESSIONAL MACHINES

BIG MACHINES 64

CONCRETE & PAVERS SEALER/SUPPLIES

FLOOR SEALER / SUPPLIES 66

CONCRETE PADS

CONCRETE RESTORATION PADS 68

TERMS AND CONDITIONS

TERMS AND CONDITIONS 69
 RETURN POLICY 70

Supreme Yellow Turbo Blade

- ♦ High diamond concentration for extra-long life.
- ♦ Fast cutting, very smooth, minimal chipping.
- ♦ 8mm Rim height.
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0149	7/8" - 20MM - 5/8" W/ 4 holes
6"	10.13.0150	7/8" - 20MM - 5/8" W/ 4 holes



Premium Black Turbo Blade

- ♦ Premium diamond formulation and narrow cutting flutes provide clean chip-free cuts.
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0116	7/8" - 20mm - 5/8" 4 holes
6"	10.13.0090	7/8" - 20mm - 5/8" 4 holes



Premium White Turbo Blade

- ♦ Fast and clean cutting performance.
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0147	7/8" - 20mm - 5/8" 4 holes
6"	10.13.0076	7/8" - 20mm - 5/8" 4 holes



Shogun Premium Turbo Plus Blade for Granite

- ♦ Specially designed bond matrix with high quality diamonds.
- ♦ Fastest cutting, Very smooth, minimal chipping, longest life, cost-effective.
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0117	7/8" - 20mm - 5/8" 4 holes
6"	10.13.0118	7/8" - 20mm - 5/8" 4 holes


Premium Red Turbo Blade

- ♦ Superior cutting and performance.
- ♦ 8mm Rim height.
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4"	10.13.0084	7/8" - 20mm - 5/8" 4 holes
4.5"	10.13.0085	7/8" - 20mm - 5/8" 4 holes
5"	10.13.0086	7/8" - 20mm - 5/8" 4 holes
6"	10.13.0087	7/8" - 20mm - 5/8" 4 holes
7"	10.13.0088	7/8" - 20mm - 5/8" 4 holes
8"	10.13.0089	7/8" - 20mm - 5/8" 4 holes
9"	10.13.0142	7/8" - 20mm - 5/8" 4-holes



CUTTING



Samurai Turbo Blade

High diamond concentration provides faster, cleaner cutting performance even in difficult conditions.

- ♦ Fast cutting.
- ♦ Wet or dry cutting.
- ♦ For Granite, Marble & Engineered Stone.

SIZE	PART#	Arbor Sizes
5"	10.13.0082	7/8" - 20mm - 5/8" 4 holes
6"	10.13.0083	7/8" - 20mm - 5/8" 4 holes



ZENESIS™ Z-Turbo Blade

Delivering fast and clean cuts at an affordable price, the new ZENESIS™ Z-Turbo Blade gives you maximum value. The blade's narrow turbo design effectively reduces chipping. It comes with flush cut holes and a unique bond that maximizes performance on granite and engineered stone.

- ♦ Narrow turbo design reduces chipping.
- ♦ 8mm segment height.

SIZE	PART#	Arbor Sizes
5"	10.13.0091	7/8" - 20mm - 5/8" 4 holes V2,Thunder
6"	10.13.0092	7/8" - 20mm - 5/8" 4 holes V2,Thunder



SABRE GTurbo Hard Granite Blade

Extra side segment for added core protection and aggressive cutting, the Sabre is ideal for use in the roughest conditions.

- ♦ 8mm Rim height.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4.5"	10.13.0108	7/8" - 20mm - 5/8" 4 holes
5"	10.13.0109	7/8" - 20mm - 5/8" 4 holes
6"	10.13.0110	7/8" - 20mm - 5/8" 4 holes
7"	10.13.0111	7/8" - 20mm - 5/8" 4 holes
10"	10.13.0107	7/8" - 20mm - 5/8" 4 holes

CUTTING

MAX AGGRESSIVE® MARBLE SERIES

Max Aggressive® Marble

- ◆ Smooth cutting marble blade.
- ◆ Marble & other soft stones.
- ◆ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0074	5/8 - 7/8"
6"	10.13.0075	5/8 - 7/8"



Max Aggressive® Marble with Side Protection

- ◆ Side protection ensures a cleaner 90 degree cut.
- ◆ Ideal for the hardest marbles.
- ◆ Marble & other soft stones and engineered glass.
- ◆ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0122	5/8 - 7/8" +22mm
6"	10.13.0121	5/8 - 7/8" +22mm



Max Aggressive® MeshThin Red Blades

- ◆ Turbo-mesh rim design with thin core for fast cutting and minimal chipping.
- ◆ Designed for Marble, Tile and Porcelain.
- ◆ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4"	10.13.0112	7/8" - 20mm - 5/8"
4.5"	10.13.0018	7/8" - 20mm - 5/8"
5"	10.13.0127	7/8" - 20mm - 5/8"
6"	10.13.0128	7/8" - 20mm - 5/8"



Disco-YG500 Ultra Thin

- ◆ Very thin cutting
- ◆ Porcelain, marble & other stones.
- ◆ Dry cutting.

SIZE	PART#	Arbor Sizes
4"	10.13.0036	4.5" x .051" x 11mm x 7/8"
4.5"	10.13.0130	4.5" x .051" x 11mm x 7/8"
5"	10.13.0131	5" x .051" x 11mm x 7/8"
6"	10.13.0132	6" x .051" x 11mm x 7/8"
10"	10.13.0133	10" x .051" x 11mm x 7/8"



**Max Aggressive®
ContourTurbo**

Quick, smooth cutting performance at an excellent value.

- ♦ Turbo rim design produces safer and sharper cuts
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0097	5" x 7/8" - 5/8" - 22 arbor
7"	10.13.0094	5" x 7/8" - 5/8" - 22 arbor



**Max Aggressive®
Contour SEG**

For sink & curved cuts, utilizing diamond layered slide slots for increased performance.

- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0124	5" x 7/8" - 5/8"



**Shogun Premium
ContourTurbo**

- ♦ Premium diamonds, Soft bond.
- ♦ Extra safety, Fast cutting, Long lasting.
- ♦ For Granite, Marble & Engineered Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0096	5" x 7/8" - 5/8"



**5" Weha Double Vac
Brazed Contour**

- ♦ Granite Marble, Engineered Stone, Quartz, Quartzite, and other Natural Stone.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0095	5" x 7/8" - 5/8" - 22 arbor



White Lion Contour

- ♦ Specially designed bond matrix with high quality diamonds.
- ♦ Fast cutting, very smooth, minimal chipping.
- ♦ For Quartzite, Quartz, Granite.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
5"	10.13.0099	7/8" - 5/8"



**Max Aggressive®
Marble Contour**

- ♦ Electroplated diamond contour blade for cutting marble fast and easy.
- ♦ Designed for curved cutting of marble sink holes.

SIZE	PART#	Arbor Sizes
5"	10.13.0098	7/8" - 5/8"



Max Aggressive® Thin Rim Blades

- ◆ Thin turbo rim and core for fast, clean and chip-free cutting.
- ◆ Designed for Granite, Marble, Tile and Porcelain.
- ◆ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4"	10.13.0101	7/8" - 20mm - 5/8"
4.5"	10.13.0102	7/8" - 20mm - 5/8"
5"	10.13.0103	7/8" - 20mm - 5/8"
6"	10.13.0104	7/8" - 20mm - 5/8"
10"	10.13.0105	7/8" - 20mm - 5/8"



Zenesis Continuous Rim Blades

- ◆ Fast cutting Porcelain, Granite, and other hard materials.
- ◆ Continuous rim for clean chip-free cutting.
- ◆ Wet or dry cutting.
- ◆ 10" diameter blades: wet cutting only.

SIZE	PART#	Arbor Sizes
4.5"	10.13.0078	5/8" - 20mm
5"	10.13.0079	5/8" - 20mm
6"	10.13.0080	5/8" - 20mm
10"	10.13.0077	5/8" - 20mm



Disco Blue-YG400 SuperTile Blades

- ◆ Very thin rim, premium diamonds, reinforced raised hub on the steel core.
- ◆ Fast cutting, chip free, long life.
- ◆ Porcelain, granite, Dekton, tile, stone.


SIZE	PART#	Arbor Sizes
4"	10.13.0134	.059" x 11mm x 7/8"
4.5"	10.13.0135	.059" x 11mm x 7/8"
5"	10.13.0136	.059" x 11mm x 7/8"



Tsunami GlassTile Blades

- ◆ Rigid core, premium diamonds.
- ◆ Fast cutting, chip free, long lasting.
- ◆ Glass tile, Ceramic, porcelain, natural tile.
- ◆ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4"	10.13.0137	.067" x 5mm x 7/8"
4.5"	10.13.0138	.067" x 5mm x 7/8"
5"	10.13.0139	.067" x 5mm x 7/8"



Max Aggressive® SpeedTuck

- ♦ Ideal for channel cutting when using steel reinforcement rods, quick cutting diamond.
- ♦ Wet or dry cutting.

SIZE	PART#	Blade Thickness	Arbor Sizes
4.5"	10.13.0065	1/4"	7/8" X 5/8"



Disco GR2Tuck Point Blade

- ♦ Segments, see through core.
- ♦ Fast cutting, long lasting, easy operation.
- ♦ Tuck-pointing, rodding on granite.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4.5"	10.13.0140	6mm x 5mm 15mm x 7/8"



Disco VR5 Crack Chaser

- ♦ Designed to clean mortar joints quickly and easily.
- ♦ Fast cutting, long lasting.
- ♦ Wet or dry cutting.

SIZE	PART#	Arbor Sizes
4.5"	10.13.0141	.400" x 5/8" - 11



**Max Aggressive® Blade Adapter
Flush-Mount Threaded Flanges**

- ♦ 4-hole brass flange for use on 4" - 7" blades and cup wheels.

PART#	Description
10.13.0066	Brass, 4-hole 5/8"-11 thread for 20mm arbor

CUTTING



Max Aggressive® White Tiger I Blade

White Tiger I bridge saw blade is revolutionizing the stone fabricating industry by raising the bar for cutting speed and blade life. This highly innovative patterned design distributes the diamond grit into a column, increasing the concentration to focus on the densest part of the stone. Straight, efficient cutting increases productivity while reducing stress on the bridge saw.

- 25mm Tall segments.
- Feed rate 10 to 17 feet per minute.
- Cutting granite and engineered stone.
- Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0049	50/60mm
16"	10.13.0050	50/60mm
18"	10.13.0051	50/60mm



Max Aggressive® G3 Pro Serie II Blade

Pattern diamond and segment layering technology for faster cutting speeds on granite, engineered stone and other natural stone materials. Very quiet, clean and consistent cutting.

- 26mm Tall Segments.
- Extended life.
- Cutting granite and engineered stone.
- Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0007	50/60mm
16"	10.13.0008	50/60mm
18"	10.13.0009	50/60mm



MAX AGGRESSIVE® WHITE TIGER II BLADE

New diamond pattern and layering technology for precision cutting.

- 25mm Tall segments.
- High diamond concentration for Extra long life.
- Ultra fast, consistent cutting.
- Cutting granite and engineered stone.
- Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0113	50/60mm
16"	10.13.0114	50/60mm
18"	10.13.0115	50/60mm




Max Aggressive® G3 Speed Blade

New Pattern Diamond Technology brings you the Consistent Cutting Performance.

- ♦ Very Fast Cutting.
- ♦ 20mm Tall Segments.
- ♦ Wet use only.



SIZE	PART#	Arbor Sizes
14"	10.13.0012	50/60mm
16"	10.13.0013	50/60mm
18"	10.13.0014	50/60mm
24"	10.13.0015	50/60mm
26"	10.13.0016	50/60 MM
28"	10.13.0017	50/60 MM



Max Aggressive® Premium Serie Blade

Special bond formulation makes the Premium Series blade ideal for use on medium to high horsepower saws.

- ♦ Very Fast Cutting.
- ♦ 20mm Tall Segments.
- ♦ Silent Core.
- ♦ Wet use only.



SIZE	PART#	Arbor Sizes
12"	10.13.0011	50/60mm
14"	10.13.0001	50/60mm
16"	10.13.0002	50/60mm
18"	10.13.0006	50/60mm
20"	10.13.0027	50/60mm



Shogun Blue II Blade

- ♦ Pattern Flow Matrix aligned technology.
- ♦ Sandwich segments, sandwich steel core.
- ♦ Granite, Engineered stone.
- ♦ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0037	50/60mm
16"	10.13.0038	50/60mm
18"	10.13.0039	50/60mm



Max Aggressive® Marble Blade

- ◆ High quality, to the most demanding marble cutting needs.
- ◆ 10mm Tall segments.
- ◆ Clean cutting of Marble.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0023	50/60mm
16"	10.13.0024	50/60mm
18"	10.13.0025	50/60mm



Max Aggressive® Dekton Blade

- ◆ Built specifically for Dekton, Neolith and sintered porcelain slabs.
- ◆ 10mm Tall segments.
- ◆ Wet use only.

Please see below recommender speed, but you can increase/decrease speed based on saw HP.



Thickness of Material	Straight Cutting Feed rate	Miter Cutting Feed rate
10-15mm	40"-55" per minute	Down Feed Rate 10" to 15" /Min
20mm	24"-32" per minute	Down Feed Rate 10" to 15" /Min
30mm	20"-24" per minute	Down Feed Rate 10" to 15" /Min
RPM on 14" 1900	RPM on 16" 1600	RPM on 18" 1500

SIZE	PART#	Arbor Sizes
14"	10.13.0003	50/60mm
16"	10.13.0004	50/60mm
18"	10.13.0005	50/60mm



Max Aggressive® Crystallized Glass Blade

- ◆ Built in two core to security the miters cutting
- ◆ 10mm Tall segments.
- ◆ Clean Cutting.
- ◆ Silent Core.
- ◆ Wet use only.

Please see below recommender speed, but you can increase/decrease speed based on saw HP.

Thickness of Material	Straight Cutting Feed rate	Miter Cutting Feed rate
10-15mm	40"-55" per minute	Down Feed Rate 10" to 15" /Min
20mm	24"-32" per minute	Down Feed Rate 10" to 15" /Min
30mm	20"-24" per minute	Down Feed Rate 10" to 15" /Min
RPM on 14" 1900	RPM on 16" 1600	RPM on 18" 1500

SIZE	PART#	Arbor Sizes
14"	10.13.0019	50/60mm
16"	10.13.0020	50/60mm
18"	10.13.0021	50/60mm

CUTTING



Max Aggressive® Quartzite Blade

NEW STYLE!

- ♦ High Concentration Pattern Diamond.
- ♦ Special Bond specifically for Quartzite.
- ♦ 20mm Tall segments.
- ♦ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0033	50/60mm
16"	10.13.0034	50/60mm
18"	10.13.0035	50/60mm



Shogun Quartzite Blade

Pattern Flow Matrix' aligned technology, sandwich segments, notched segment, sandwich steel core, very premium diamonds. Specially designed for cutting quartzite, fast cutting, cost-effective, longest life.

- ♦ Granite, Engineered stone, Quartzite.
- ♦ 20mm Segment height.
- ♦ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0123	50/60mm
16"	10.13.0125	50/60mm
18"	10.13.0126	50/60mm



Weha White Lion Quartzite Blade

White Lion blade is excellent for cutting granite, engineered stone and quartzite materials. German made silent core runs quietly and smoothly and the Arix (Array diamond layering) segment technology allows consistent, high speed performance.

- ♦ Fast, chip-free cutting.
- ♦ 20mm Segment height.
- ♦ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0045	50/60mm
16"	10.13.0046	50/60mm
18"	10.13.0047	50/60mm



Zenesis Quartzite

- ◆ Unique segment design for fast cutting speeds.
- ◆ Patterned diamond matrix for straight chip-free cuts.
- ◆ Soft bond for continuous use without dressing.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0058	50/60mm
16"	10.13.0059	50/60mm
18"	10.13.0060	50/60mm



Zenesis II Blade

The ZENESIS™ II bridge saw blade revolutionized the stone fabricating industry by raising the bar for cutting speed and blade life. Straight and efficient cutting increases productivity while reducing stress on the bridge saw.

- ◆ 25mm segments height.
- ◆ Feed rate 10 to 17 feet per minute.
- ◆ Cutting granite and engineered stone.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0010	50/60mm
16"	10.13.0144	50/60mm
18"	10.13.0056	50/60mm



Zenesis Black 4 Blade

The ZENESIS™ BLACK 4 blade is built on high quality, slanted gullet silent cores. Strong cores keep segments cutting true even when mitering, and the slanted gullets draw in more water and push out more swarf/debris resulting in cleaner cuts.

- ◆ Designed to outperform all other bridge saw blades on straight or mitered cuts.
- ◆ Cuts granite, engineered stone, and quartzite.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0053	50/60mm
16"	10.13.0054	50/60mm
18"	10.13.0055	50/60mm

CUTTING



Zenesis Carbon Blade

- ◆ 10mm segments height.
- ◆ Cuts Dekton®, Neolith®, Lapitech®, Petrified Wood, Slabs made with Geodes.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0145	50/60mm
16"	10.13.0146	50/60mm



Max Aggressive® 14" Milling Wheel

For milling slabs or leveling a concrete table.

- ◆ Made with lightweight nylon body.
- ◆ 1 1/2" width x 14" diameter.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0010	50/60mm

MAX
AGGRESSIVE



Max Aggressive® 14" Milling Wheel

Perfect option for milling slabs or leveling a concrete table.

- ◆ Features a lightweight nylon body.
- ◆ 1 1/2" width x 14" diameter.
- ◆ Wet use only.

SIZE	PART#	Arbor Sizes
14"	10.13.0063	50/60mm
16"	10.13.0062	50/60mm




Max Aggressive® New Style Polishing Pads

- Extremely fast polishing with very high gloss.
- Specially Textured design to eliminate break in.
- 3mm thickness.
- Use Under 5,000 RPM.
- Use Wet Only.




COLOR	Size/Grit	PART#
Green	4", 50	10.16.0065
Red	4", 100	10.16.0066
Yellow	4", 200	10.16.0067
Blue	4", 400	10.16.0068
Green	4", 800	10.16.0069
Yellow	4", 1500	10.16.0070
Purple	4", 3000	10.16.0071



Max Aggressive® Super Premium Polishing Pads

- Excellent for granite, marble, engineered stone surfaces.
- Extra long life.
- 3mm thickness.
- Use Under 5,000 RPM.
- Use Wet Only.

COLOR	Size/Grit	PART#
Green	4", 50	10.16.0072
Red	4", 100	10.16.0064
Yellow	4", 200	10.16.0080
Blue	4", 400	10.16.0088
Green	4", 800	10.16.0051
Yellow	4", 1500	10.16.0056
Purple	4", 3000	10.16.0043



Max Aggressive® Premium E Polishing Pads

COLOR	Size/Grit	PART#	COLOR	Size/Grit	PART#
Green	4", 50	10.16.0089	Green	5", 50	10.16.0098
Red	4", 100	10.16.0090	Red	5", 100	10.16.0099
Yellow	4", 200	10.16.0091	Yellow	5", 200	10.16.0100
Blue	4", 400	10.16.0092	Blue	5", 400	10.16.0101
Green	4", 800	10.16.0093	Green	5", 800	10.16.00102
Yellow	4", 1500	10.16.0094	Yellow	5", 1500	10.16.00103
Purple	4", 3000	10.16.0095	Purple	5", 3000	10.16.00104
White	4", Final Buff B	10.16.0096			
Black	4", Final Buff W	10.16.0097			




Shogun Super Premium Polishing Pads

- Special resin bonded polishing pad with high quality diamonds.
- Very smooth polishing, cost-effective, longest life, Great result.
- 3mm thickness.
- Granite, marble, natural stones, concrete, engineered stone.
- Use Wet Only.

COLOR	Size/Grit	PART#
Green	4", 50	10.16.0105
Red	4", 100	10.16.0106
Yellow	4", 200	10.16.0107
Blue	4", 400	10.16.0108
Green	4", 800	10.16.0109
Yellow	4", 1500	10.16.0110
Purple	4", 3000	10.16.0111

POLISHING SYSTEMS



Max Aggressive® New Style White Polishing Pads

- ◆ Extremely fast polishing with very high gloss.
- ◆ Specially Textured design to eliminate break in.
- ◆ 3mm thickness.
- ◆ Use Under 5,000 RPM.
- ◆ Use Wet Only.



COLOR	Size/Grit	PART#
	4", 50	10.16.0073
	4", 100	10.16.0074
	4", 200	10.16.0075
	4", 400	10.16.0076
	4", 800	10.16.0077
	4", 1500	10.16.0078
	4", 3000	10.16.0079



Max Aggressive® White Resin Supreme Polishing Pads

- Non-marking white resin will not bleed into lighter colored engineered stone surfaces.
- ◆ Excellent for granite, marble, engineered stone surfaces.
 - ◆ Extra long life.
 - ◆ 3mm thickness.
 - ◆ Use Under 5,000 RPM.
 - ◆ Use Wet Only.

COLOR	Size/Grit	PART#
	4", 50	10.16.0081
	4", 100	10.16.0082
	4", 200	10.16.0083
	4", 400	10.16.0084
	4", 800	10.16.0085
	4", 1500	10.16.0086
	4", 3000	10.16.0087



Max Aggressive® White Resin Premium Polishing Pads

- Pads are made with a unique type of lighter colored resin to reduce the chance of discoloration when polishing light colored stone & engineered stone surfaces.
- ◆ Ultra flexible pads.
 - ◆ Best results when used wet.
 - ◆ Great for granite or engineered stone surfaces.

COLOR	Size/Grit	PART#
	4", 50	10.16.0112
	4", 100	10.16.0113
	4", 200	10.16.0114
	4", 400	10.16.0115
	4", 800	10.16.0116
	4", 1500	10.16.0117
	4", 3000	10.16.0118



Disco 7step White Polishing Pads

- ◆ Resin bonded polishing pad with high quality diamonds.
- ◆ Smooth polishing, cost-effective, long life, good result.
- ◆ Granite, marble, natural stones, concrete, engineered stone.
- ◆ Use Wet or Dry.

COLOR	Size/Grit	PART#
	4", 50	10.16.0119
	4", 100	10.16.0120
	4", 200	10.16.0121
	4", 400	10.16.0122
	4", 800	10.16.0123
	4", 1500	10.16.0124
	4", 3000	10.16.0125



Max Aggressive® Dry Shine Polishing Pads

- ◆ Provides an excellent polish.
- ◆ Perfect for jobsite touch up use.
- ◆ Long-life formula.
- ◆ Use Under 5,000 RPM.

COLOR	Size/Grit	PART#
	4", 50	10.16.0027
	4", 100	10.16.0028
	4", 200	10.16.0029
	4", 400	10.16.0030
	4", 800	10.16.0031
	4", 1500	10.16.0032
	4", 3000	10.16.0033
	4", Final Buff B	10.16.0034
	4", Final Buff W	10.16.0035



Max Aggressive® Dry White Polishing Pads

- ◆ Provides an excellent polish.
- ◆ Great value, long life and very flexible.
- ◆ Polish granite wet or dry, engineered stone wet only.
- ◆ Use Under 5,000 RPM.

COLOR	Size/Grit	PART#	COLOR	Size/Grit	PART#
	4", 50	10.16.0044		5", 50	10.16.0036
	4", 100	10.16.0045		5", 100	10.16.0037
	4", 200	10.16.0046		5", 200	10.16.0038
	4", 400	10.16.0047		5", 400	10.16.0039
	4", 800	10.16.0048		5", 800	10.16.0040
	4", 1500	10.16.0049		5", 1500	10.16.0041
	4", 3000	10.16.0050		5", 3000	10.16.0042



Matrix Dry Polishing Pads

The Weha Matrix Honeycomb Matte finish Dry Diamond Polishing Pads were made to be aggressive and polish right out of the gate.

- ◆ Granite, marble, quartzite, and other natural stones.
- ◆ Use Under 5,000 RPM.
- ◆ Use dry but can also be used wet.

COLOR	Size/Grit	PART#
	4", 50	10.16.0126
	4", 100	10.16.0127
	4", 200	10.16.0128
	4", 400	10.16.0129
	4", 800	10.16.0130
	4", 1500	10.16.0131
	4", 3000	10.16.0132



Disco 7Step Honey Comb Dry Polishing Pads





- ◆ Resin bonded polishing pad with high quality diamonds.
- ◆ Smooth polishing, cost-effective, long life, good result.
- ◆ Granite, marble, natural stones, concrete, engineered stone.
- ◆ Use Dry.

COLOR	Size/Grit	PART#
	4", 50	10.16.0133
	4", 100	10.16.0134
	4", 200	10.16.0135
	4", 400	10.16.0136
	4", 800	10.16.0137
	4", 1500	10.16.0138
	4", 3000	10.16.0139



Max Aggressive® Hybrid 3 Step New Style

- ◆ Reduces polishing time by 50%.
- ◆ For polishing granite, engineered stone and other natural stone surfaces.
- ◆ Use Wet or Dry, best results when used wet.





COLOR	Size/Grit	PART#
	4",00 Optional	10.16.0153
	4",1	10.16.0154
	4",2	10.16.0155
	4",3	10.16.0156



Max Aggressive® Hybrid 3-Step

Max Aggressive® Hybrid pads are produced with a unique resin formula allowing them to be used wet or dry. Reduce polishing time by 50% on granite or engineered stone surfaces.




- ◆ Use for Wet or Dry polishing, best results when used wet.


COLOR	Size/Grit	PART#
	4",0, Optional	10.16.0140
	4",1	10.16.0008
	4",2	10.16.0009
	4",3	10.16.0010



Max Aggressive® Hybrid Max Speed

- ◆ Ultra flexible and extended life.
- ◆ Extremely fast process from first polishing step to completion.
- ◆ Use Wet or Dry, best results when used wet.

COLOR	Size/Grit	PART#
	4",1	10.16.0002
	4",2	10.16.0003
	4",3	10.16.0004



Max Aggressive® Snow Hybrid 3-Step

- ◆ Provides an excellent polish.
- ◆ Great value, long life and very flexible.
- ◆ Polish granite wet or dry, engineered stone wet only.
- ◆ Use Under 5,000 RPM.

COLOR	Size/Grit	PART#
	4",0, Optional	10.16.0011
	4",1	10.16.0012
	4",2	10.16.0013
	4",3	10.16.0014



Weha 3.5" Turbo Disc

Weha 3.5" Turbo discs are designed to repolish surface scratches, flat edges, bevels, seams before laminating to get an super tight seam, as well as reaching tight corners with their special flare design.

- ◆ Very aggressive.
- ◆ Extremely Rigid.
- ◆ Flare design.
- ◆ Up to 4500 RPM.
- ◆ Wet use.

Size/Grit	PART#
3.5" #50	10.16.0057
3.5" #100	10.16.0058
3.5" #200	10.16.0059
3.5" #400	10.16.0060
3.5" #800	10.16.0061
3.5" #1500	10.16.0062
3.5" #3000	10.16.0063
3.5" Back-up	10.02.0002



Max Aggressive® Diamond Hand Pads

- ◆ Excellent on Marble, Granite, Ceramic, or Engineered Stone Surfaces.
- ◆ Wet or Dry Use.

COLOR	Size/Grit	PART#
●	4", 50	10.16.0019
●	4", 100	10.16.0020
●	4", 200	10.16.0021
●	4", 400	10.16.0022
●	4", 800	10.16.0023
●	4", 1500	10.16.0024
●	4", 3000	10.16.0025



Weha Donkey Pads

Face Polish Surface Polishing for Quartz, Engineered Stone, Marble and Granite.

- ◆ Provides an excellent result.
- ◆ Wet use only.
- ◆ Use Under 1200 RPM.

Size/Grit	PART#
4" #600	10.16.0144
4" #1000	10.16.0145
4" #2000	10.16.0146
4" #3000	10.16.0147
4" #6000	10.16.0148
4" #10000	10.16.0149



Max Aggressive® Flower Auto Edge Wheels

Solf bond requires minimum pressure to achieve perfect shine, Extra thick pad gives very long life.

- ◆ Designed for straight edges.
- ◆ Polishing both granite and engineered stone.
- ◆ Recommended RPM 2000.
- ◆ Wet use only.

Size/Grit	PART#	Size/Grit	PART#
5" #50	10.04.0068	6" #50	10.04.0051
5" #100	10.04.0069	6" #100	10.04.0052
5" #200	10.04.0070	6" #200	10.04.0053
5" #400	10.04.0071	6" #400	10.04.0054
5" #800	10.04.0072	6" #800	10.04.0055
5" #1500	10.04.0073	6" #1500	10.04.0056
5" #3000	10.04.0074	6" #3000	10.04.0057

Max Aggressive® Continuous Rim Auto Edge Wheels

- ♦ Designed for straight and Bullnose edges.
- ♦ Polishing both granite and engineered stone.
- ♦ For use on all multi-head inline polishing machines and back-splash polishing machines.
- ♦ Wet use only.

Size/Grit	PART#	Size/Grit	PART#
5" #50	10.04.0022	6" #50	10.04.0044
5" #100	10.04.0023	6" #100	10.04.0045
5" #200	10.04.0024	6" #200	10.04.0046
5" #400	10.04.0025	6" #400	10.04.0047
5" #800	10.04.0026	6" #800	10.04.0048
5" #1500	10.04.0027	6" #1500	10.04.0049
5" #3000	10.04.0028	6" #3000	10.04.0050

Max Aggressive® Turbo Auto Edge Wheels

- ♦ Designed for straight edges.
- ♦ Polishing both granite and engineered stone.
- ♦ For use on all multi-head inline polishing machines and back-splash polishing machines.
- ♦ Wet use only.

Size/Grit	PART#	Size/Grit	PART#
5" #50	10.04.0036	6" #50	10.04.0058
5" #100	10.04.0037	6" #100	10.04.0059
5" #200	10.04.0038	6" #200	10.04.0060
5" #400	10.04.0039	6" #400	10.04.0061
5" #800	10.04.0040	6" #800	10.04.0062
5" #1500	10.04.0041	6" #1500	10.04.0063
5" #3000	10.04.0042	6" #3000	10.04.0075

Max Aggressive® Hex Auto Edge Wheels

- ♦ Designed for straight edges.
- ♦ Polishing both granite and engineered stone.
- ♦ For use on all multi-head inline polishing machines and back-splash polishing machines.
- ♦ Wet use only.


Size/Grit	PART#
5" #50	10.04.0029
5" #100	10.04.0030
5" #200	10.04.0031
5" #400	10.04.0032
5" #800	10.04.0033
5" #1500	10.04.0034
5" #3000	10.04.0035

Max Aggressive® 6 Step System

Designed for radius polishing on machines that require 4" snail lock backed tools.

- ♦ Position 1 - Coarse metal bond for shaping material with a Snail lock back.
- ♦ Position 2 - Medium metal bond to prepare material for polishing with a Snail lock back.
- ♦ Position 3 - Coarse resin bond to sand the material with a VELCRO® back.
- ♦ Position 4 - Medium resin bond to hone the material with a VELCRO® back.
- ♦ Position 5 - Fine resin bond to polish the material with a VELCRO® back.
- ♦ Position 6 - Buff resin bond for darker materials with VELCRO® back.
- ♦ 5/8-11 female adaptor to 4" snail lock female adaptor available.
- ♦ Adaptor VELCRO® to 4" snail lock (thicker version to match height of metal bond) available.
- ♦ Wet use only.

Size	Grit	PART#
4"	Snail Lock, Pos. 1 (coarse)	10.04.0
4"	Snail Lock, Pos. 2 (medium)	10.04.0
4"	Velcro, Pos. 3 (resin)	10.04.0024
4"	Velcro, Pos. 4 (resin)	10.04.0025
4"	Velcro, Pos. 5 (resin)	10.04.0026
5"	Velcro, Pos. 6 (resin)	10.04.0027



Max Aggressive® Antique Brush Wheels

Max Aggressive® Brushes give a textured finish on granite, marble and other hard stones.

- ◆ Flexible and durable.
- ◆ Snail lock & 5/8"-11 thread.
- ◆ Recommended 2,000 – 4,000 RPM.
- ◆ Wet use only.



Size/Grit	PART#	Size/Grit	PART#
4" #24	10.04.0001	5" #24	10.04.0011
4" #36	10.04.0002	5" #36	10.04.0012
4" #46	10.04.0003	5" #46	10.04.0013
4" #60	10.04.0004	5" #60	10.04.0014
4" #80	10.04.0005	5" #80	10.04.0067
4" #120	10.04.0006	5" #120	10.04.0015
4" #220	10.04.0007	5" #220	10.04.0016
4" #320	10.04.0008	5" #320	10.04.0018
4" #500	10.04.0009	5" #500	10.04.0017
4" #800	10.04.0010	5" #800	10.04.0065
4" #1200	10.04.0064	5" #1200	10.04.0066
4" Snail Lock Adapter	10.04.0020	5" Snail Lock Adapter	10.04.0019

Max Aggressive® 5" PSA Peel Sticky

Max Aggressive® Silicon Carbide Sandpaper is outstanding on marble, travertine, limestone, even granite, and engineered stone.

- ◆ Premium Grade silicon carbide.
- ◆ High- Intensity heat resistant glue.
- ◆ Box of 100 units.
- ◆ PSA Sticky Back.
- ◆ Wet or Dry.



Size	Grit	PART#
5"	40	10.18.0002
5"	60	10.18.0003
5"	80	10.18.0004
5"	120	10.18.0005
5"	220	10.18.0006
5"	320	10.18.0007
5"	400	10.18.0008
5"	600	10.18.0009
5"	800	10.18.0011
5"	1000	10.18.0010
5"	1200	10.18.0012

Max Aggressive® 4" Hook and Loop Backed

Max Aggressive® Velcro Silicon Carbide Sandpaper Hook and Loop with Knockout Center for granite, marble, limestone, travertine, and all other stone.

- ◆ Premium resistant quality Velcro .
- ◆ Box of 50 units.
- ◆ Velcro backed.
- ◆ Wet or Dry.



Size	Grit	PART#
4"	40	10.18.0014
4"	60	10.18.0015
4"	80	10.18.0016
4"	120	10.18.0017
4"	220	10.18.0018
4"	320	10.18.0019
4"	400	10.18.0020
4"	600	10.18.0021
4"	1000	10.18.0022
4"	1200	10.18.0023



**Max Aggressive®
Rubber Back-Up Pads
Semi Flexible**

Size	PART#	Description
3"	10.02.0008	Rubber Back-up 5/8-11"
4"	10.02.0009	Rubber Back-up 5/8-11"



**Max Aggressive®
Rubber Back-Up Pads
Rigid**

Size	PART#	Description
3"	10.02.0006	Rubber Back-up 5/8-11"
4"	10.02.0007	Rubber Back-up 5/8-11"



**Max Aggressive®
Rubber Back-Up Pads
Flexible**

Size	PART#	Description
3"	10.02.0015	Rubber Back-up 5/8-11"
4"	10.02.0004	Rubber Back-up 5/8-11"



**Max Aggressive®
Aluminum Back-Up Pads**

Size	PART#	Description
3"	10.02.0014	Aluminum Back-up 5/8-11"
4"	10.02.0003	Aluminum Back-up 5/8-11"



**Max Aggressive®
Rubber Back-Up Pads Thin**

Size	PART#	Description
3"	10.02.0016	Rubber Back-up 5/8-11"
4"	10.02.0005	Rubber Back-up 5/8-11"



**Max Aggressive®
Plastic Back-Up Pads**

Size	PART#	Description
7"	10.02.0010	Plastic lock 5/8-11"



**Max Aggressive®
Yellow Plastic
Back-Up Pads**

Size	PART#	Description
3"	10.02.0012	Plastic 5/8-11"
4"	10.02.0013	Plastic 5/8-11"



**Max Aggressive®
Yellow Foam Rubber
Back-Up Pads**

Size	PART#	Description
5" Flex	10.02.0010	Flexible foam
5" Standard Slant	10.02.0011	Flexible foam



**Max Aggressive®
Dressing Stone White**

Size	PART#	Description
8" x 2" x 1"	10.13.0067	Opening up the diamonds On Blades and Core bits



**Max Aggressive®
Snail Lock Back-Up
Adapter**

Size	PART#	Description
4"	10.04.0020	Snail Lock Back-Up 5/8-11"
5"	10.04.0019	Snail Lock Back-Up 5/8-11"

CORE BITS
PREMIUM BLACK
SERIES

- With **Zenesis technology** for enhanced performance
- Laser-welded segments for safer coring
- Designed for granite and engineered stone
- Can be used **wet or dry**

Size	PART#
1/4"	10.14.0096
1/2"	10.14.0065
3/4"	10.14.0066
3/8"	10.14.0095
5/8"	10.14.0067
7/8"	10.14.0068
1"	10.14.0006
1-1/4"	10.14.0003
1-3/8"	10.14.0005
1-1/2"	10.14.0002
1-3/4"	10.14.0004
2"	10.14.0007
2-1/4"	10.14.0009
2-1/2"	10.14.0008
3"	10.14.0011
3-1/2"	10.14.0010
4"	10.14.0012
6"	10.14.0013

Max Aggressive® Premium Black Core Bits

- Premium Grade and Strong Segments.
- Vacuum brazed protection on the outside and inside of the core.
- Max. 10,000 RPM.
- 5/8-11 Female thread.
- Wet or dry use.

Size	PART#
1/4"	10.14.0096
1/2"	10.14.0065
3/4"	10.14.0066
3/8"	10.14.0095
5/8"	10.14.0067
7/8"	10.14.0068
1"	10.14.0006
1-1/4"	10.14.0003
1-3/8"	10.14.0005
1-1/2"	10.14.0002
1-3/4"	10.14.0004
2"	10.14.0007
2-1/4"	10.14.0009
2-1/2"	10.14.0008
3"	10.14.0011
3-1/2"	10.14.0010
4"	10.14.0012
6"	10.14.0013

Max Aggressive® Premium Brown Core Bits



- ARIX Segments.
- Vacuum brazed protection on the outside and inside of the core.
- Max. 10,000 RPM.
- 5/8-11 Female thread.
- Wet or dry use.
- Laser welded.

Size	PART#
1"	10.14.0078
1-1/4"	10.14.0079
1-3/8"	10.14.0014

Max Aggressive® Black Supreme Core Bits



- Ultra Fast.
- Durable and Strong Segments.
- Max. 10,000 RPM.
- 5/8-11 Female thread.
- Wet or dry use.

Size	PART#
1"	10.14.0076
1-1/4"	10.14.0077
1-3/8"	10.14.0031

Max Aggressive® Premium Blue Core Bits



- Brazed diamonds on the inside and outside.
- Max. 10,000 RPM.
- 5/8-11 Female thread.
- Wet or dry use.

Size	PART#
1"	10.14.0085
1-1/4"	10.14.0086
1-3/8"	10.14.0069

Max Aggressive® White Supreme Core Bits



- Turbo Supreme quality.
- Vacuum brazed side protection.
- Max. 11,000 RPM.
- 5/8-11 Female thread.
- Wet or dry use.

Size	PART#
1"	10.14.0082
1-1/4"	10.14.0070
1-3/8"	10.14.0071
2"	10.14.0072



Zenesis Dry Core Bits

All-new design for enhanced performance with abrasive side coating for faster speed and large cooling holes on core.

- ◆ 5/8"-11 female thread.
- ◆ For Granite and engineered stone.
- ◆ Wet or dry use.

Size	PART#	Size	PART#
1"	10.14.0083	1-3/4"	10.14.0004
1-1/4"	10.14.0084	2"	10.14.0007
1-3/8"	10.14.0035	2-1/4"	10.14.0009



Max Aggressive® Premium Plus Core Bits

- ◆ Precision drilling on granite, marble and engineered stone.
- ◆ Vacuum brazed protection on the outside and inside of the core.
- ◆ Max. 10,000 RPM.
- ◆ 5/8-11 Female thread.
- ◆ Wet or dry use.

Size	PART#
1"	10.14.0087
1-1/4"	10.14.0088
1-3/8"	10.14.0074



Max Aggressive® Premium Red Core Bits

- ◆ Turbo design.
- ◆ Vacuum brazed side protection.
- ◆ Max. 10,000 RPM.
- ◆ 5/8-11 Female thread.
- ◆ Wet or dry use.

Size	PART#
1"	10.14.0080
1-1/4"	10.14.0081
1-3/8"	10.14.0033



Max Aggressive® X Shape Core Bits

- ◆ Precision drilling on granite, marble and engineered stone.
- ◆ Vacuum brazed protection on the outside and inside of the core.
- ◆ Max. 10,000 RPM.
- ◆ 5/8-11 Female thread.
- ◆ Wet or dry use.

Size	PART#
1"	10.14.0089
1-1/4"	10.14.0090
1-3/8"	10.14.0001



Max Aggressive® Blue Core Bits

- ◆ Laser Welded Segments.
- ◆ Max. 8,000 RPM.
- ◆ 5/8-11 Female thread.
- ◆ Wet or dry use.

Size	PART#
1"	10.14.0015
1-1/4"	10.14.0091
1-3/8"	10.14.0032





**Max Aggressive®
Thin Wall Core Bits**

- True Thin Wall Crown.
- High diamond concentration for faster and cleaner cuts.
- 5/8-11 female thread.
- Wet use only.

SIZE	RPM	PART#
3/4"	3,375 TO 4,500	10.14.0040
1"	3,000 TO 4,000	10.14.0046
1-1/8"	2,950 TO 3,900	10.14.0043
1-1/4"	2,850 TO 3,800	10.14.0042
1-3/8"	2,625 TO 3,500	10.14.0045
1-1/2"	2,551 TO 3,400	10.14.0041
1-3/4"	2,475 TO 3,300	10.14.0044
2"	2,250 TO 3,000	10.14.0047
3"	750 TO 1,000	10.14.0048
4"	335 TO 450	10.14.0049



Weha Dry Magic Core Bits

Drilling materials: Dekton, Lapitec, Porcelain, Ceramic, Marble, Granite, Tile and Stone.

- Vacuum brazed core bit.
- 5/8-11 thread.
- Dry or Wet use.

SIZE	PART#	SIZE	PART#
9/16"	10.14.0024	1"	10.14.0018
5/16"	10.14.0023	1-1/4"	10.14.0016
1/4"	10.14.0020	1-3/8"	10.14.0017
3/8"	10.14.0022	1-1/2"	10.14.0092
1/2"	10.14.0019	2"	10.14.0093
3/4"	10.14.0021	2"-3/8"	10.14.0094



Max Aggressive® Vacuum Brazed Marble Core Bits

- For drilling Marble, ceramic, porcelain, and all natural stone materials.
- 5/8-11 Female thread.
- Wet or dry use.

SIZE	PART#
5/16"	10.14.0027
1/4"	10.14.0029
3/8"	10.14.0030
1/2"	10.14.0028
1-3/8"	10.14.0026



Max Aggressive® Premium Black Non Core Bits

New dry segment matrix allows these non-core drill bits to perform under high heat conditions.

- 5/8-11 Female thread.
- Wet or dry use.

SIZE	PART#
1/2"	10.14.0065
5/8"	10.14.0067
7/8"	10.14.0068
3/4"	10.14.0066



Max Aggressive® Premium Red Non Core Bits

High quality for marble and granite drilling.

- 5/8-11 Female thread.
- Wet use only.

SIZE	PART#	SIZE	PART#
3/16"	10.14.0054	1/2"	10.14.0052
1/4"	10.14.0053	9/16"	10.14.0061
5/16"	10.14.0057	5/8"	10.14.0058
3/8"	10.14.0056	3/4"	10.14.0055
7/16"	10.14.0059	7/8"	10.14.0060



Max Aggressive® T-31 Anchor Bits

Used for drilling anchor holes, Fast cutting and long life.

SIZE	DESCRIPTION	PART#
3/16"	3/8" SHANK	10.14.0037
3/16"	1/4" SHANK	10.14.0036



Max Aggressive® Resin-Filled Cup Wheel

Designed for smooth, chip free grinding with no bouncing or chipping.

- ♦ For Granite, marble and Engineered Stone.
- ♦ 5/8-11 female arbor.
- ♦ Wet or Dry use.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	8,000	10.19.0021
4" MEDIUM	8,000	10.19.0022
4" FINE	8,000	10.19.0023



Max Aggressive® Resin-Filled Cup Wheel

Designed with 12 Grinding diamonds segments for smooth chip free grinding with no bouncing or chipping.

- ♦ For Granite, marble and Engineered Stone.
- ♦ Wet or Dry use

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	10,000	10.19.0014
4" MEDIUM	10,000	10.19.0017
4" FINE	10,000	10.19.0015



Max Aggressive® Resin Filled Cup Wheel Supreme

Designed with 16 high quality metal segments for supreme quality. With no bouncing, vibrating, or chipping.

- ♦ For Granite, marble, Quartz and all natural stone.
- ♦ 5/8-11 female arbor.
- ♦ Wet or Dry use.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	10,000	10.19.0017
4" MEDIUM	10,000	10.19.0018
4" FINE	10,000	10.19.0019



Flap Diamond Cup Wheel

Is an outstanding aluminum backed diamond. Cup wheel for shaping and polishing.

- ♦ Dekton, Lapitec, Marble, Granite, Engineered Stone.
- ♦ Quartz materials, Concrete counter tops.
- ♦ Wet or dry use.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" #60	8,000	10.19.0001
4" #120	8,000	10.19.0008
4" #200	8,000	10.19.0044
4" #400	8,000	10.19.0048



Zenesis Resin Cup Wheel

ZENESIS Resin Cup Wheels offer a greater efficiency and long product life.

- ♦ For Granite, marble, and Engineered Stone.
- ♦ 5/8-11 female arbor.
- ♦ Wet use only.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	8,000	10.19.0024
4" MEDIUM	8,000	10.19.0025
4" FINE	8,000	10.19.0026



Multi Blade

This unique 2-in-1 blade is the ultimate stone installer's tool.

- ♦ Cuts and grinds the hardest materials like granite, engineered stone, flagstone, and concrete pavers with ease!
- ♦ Wet or Dry use.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	13,700	10.19.0002
5" MEDIUM	13,700	10.19.0003



Max Aggressive® Aluminum Cup Wheel

- ♦ Aluminum body and very aggressive.
- ♦ For Granite, marble, and Engineered Stone.
- ♦ 5/8-11 female arbor.
- ♦ Wet or Dry use.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	13,700	10.19.0009
4" MEDIUM	13,700	10.19.0010
4" FINE	13,700	10.19.0011



Max Aggressive® Metal Cup Wheel

- Value and quality in the same item.
- ♦ For Granite, marble and Engineered Stone.
 - ♦ 5/8-11 female arbor.
 - ♦ Wet or Dry use

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	10,000	10.19.0005
4" MEDIUM	10,000	10.19.0006
4" FINE	10,000	10.19.0007



Max Aggressive® Metal Gold Supreme Cup Wheel

- Designed with 7mm turbo segment for longer life, very aggressive.
- ♦ For Granite, marble and Engineered Stone.
 - ♦ 5/8-11 female arbor.
 - ♦ Wet or Dry use

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	13,700	10.19.0012



Max Aggressive® Vacuum Brazed Cup Wheel

- Designed with 12 Grinding diamonds segments for smooth.
- ♦ For Granite, marble and Engineered Stone.
 - ♦ Wet or Dry use

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	10,000	10.19.0020
5" COARSE	10,000	10.19.0052



Max Aggressive® Combo Cup Wheel

- Vacuum brazed Turbo for aggressive performance. Rubber backer reduces weight and vibration.
- ♦ For Granite, marble, and Engineered Stone.
 - ♦ 5/8-11 female arbor.
 - ♦ Wet use only.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	8,000	10.19.0049
4" MEDIUM	8,000	10.19.0050
4" FINE	8,000	10.19.0051



Max Aggressive® Remover Cup Wheel

- Designed with 12 Grinding diamonds segments for smooth chip free grinding with no bouncing or chipping.
- ♦ For Granite, marble, and Engineered Stone.
 - ♦ 5/8-11 female arbor.
 - ♦ Wet or Dry use.

SIZE/DESCRIPTION	MAX. RPM	PART#
4" COARSE	10,000	10.19.0004



Max Aggressive® Green Grinding Wheel

- High grade green silicon carbide.
- For Granite, marble.
- 5/8-11 female arbor.
- Maximum RPM 4" 9,072.

Size	DESCRIPTION	PART#
4"	#24	10.19.0037
4"	#36	10.19.0038
4"	#46	10.19.0039
4"	#60	10.19.0040
4"	#80	10.19.0041
4"	#120	10.19.0042
4"	#220	10.19.0043



Max Aggressive® Zero Tolerance Wheels

- Coarse matrix for more aggressive grinding.
- Designed with water feed holes for Wet or Dry use.
- 5/8-11 Female Thread.

Size	DESCRIPTION	PART#
1"	Black Resin-Filled	10.19.0027
2"	Black Resin-Filled	10.19.0028
3"	Black Resin-Filled	10.19.0029
4"	Black Resin- Filled	10.19.0033



Max Aggressive® Vacuum Brazed Zero Tolerance

- Excellent for shaping and dressing up granite and natural stone.
- Because use Vacuum brazed you can remove stone all the way to the line without the worry of blowout.

Size	DESCRIPTION	PART#
1"	30 grit Brazed	10.19.0030
2"	30 grit Brazed	10.19.0031
3"	30 grit Brazed	10.19.0032



Max Aggressive® Wheel Dresser Tolerance

DESCRIPTION	PART#
Model # 0 Dresser w/ handle	10.19.0020
Replacement Cutters # 0 Box of 10	10.19.0050



Max Aggressive® Zero Tolerance Wheels

- New resin formula to use in hard materials.
- Designed with water feed holes for Wet or Dry use.
- 5/8-11 Female Thread.
- Lighter colored resin reduces the chance of discoloration.

Size	DESCRIPTION	PART#
2"	White Resin-Filled	10.19.0034
3"	White Resin-Filled	10.19.0035



**Max Aggressive®
Router Bits Continuous**

- ◆ Available in many shapes and sizes.
- ◆ Fast, clean cut and long life.

Size	DESCRIPTION	POSITION	PART#
2cm	B- Demi bullnose	Pos 01	10.17.0014
2cm	B- Demi bullnose	Pos 02	10.17.0015
3cm	B- Demi bullnose	Pos 01	10.17.0016
3cm	B- Demi bullnose	Pos 02	10.17.0017

Size	DESCRIPTION	POSITION	PART#
2cm	F- Ogee	Pos 01	10.17.0031
2cm	F- Ogee	Pos 02	10.17.0032
2cm	F- Ogee	Pos 03	10.17.0033
2.5cm	F- Ogee	Pos 01	10.17.0034
2.5cm	F- Ogee	Pos 02	10.17.0035
3cm	F- Ogee	Pos 01	10.17.0036
3cm	F- Ogee	Pos 02	10.17.0037
3cm	F- Ogee	Pos 03	10.17.0038

Size	DESCRIPTION	POSITION	PART#
2cm	Q- Cover Ogee	Pos 01	10.17.0018
2.5cm	Q- Cover Ogee	Pos 01	10.17.0019
2.5cm	Q- Cover Ogee	Pos 02	10.17.0020

Size	DESCRIPTION	POSITION	PART#
2cm	V- Full Bullnose	Pos 01	10.17.0023
2cm	V- Full Bullnose	Pos 02	10.17.0024
3cm	V- Full Bullnose	Pos 01	10.17.0025
3cm	V- Full Bullnose	Pos 02	10.17.0026
3cm	V- Full Bullnose	Pos 03	10.17.0062
4cm	V- Full Bullnose	Pos 01	10.17.0027
4cm	V- Full Bullnose	Pos 02	10.17.0028
6cm	V- Full Bullnose	Pos 01	10.17.0029

Size	DESCRIPTION	POSITION	PART#
2cm	E- Bevel	Pos 01	10.17.0003
2cm	E- Bevel	Pos 02	10.17.0004
3cm	E- Bevel	Pos 01	10.17.0057
1/4"	E- Bevel	Pos 01	10.17.0006

Size	DESCRIPTION	POSITION	PART#
2cm	H- Dupont	Pos 01	10.17.0021
2cm	H- Dupont	Pos 02	10.17.0022
1.5cm	L- Cover	Pos 01	10.17.0007
1.5cm	L- Cover	Pos 02	10.17.0008
2cm	L- Cover	Pos 01	10.17.0009
2cm	O- Cover Dupont	Pos 01	10.17.0010
2.5cm	O- Cover Dupont	Pos 01	10.17.0011
2.5cm	O- Cover Dupont	Pos 02	10.17.0012

Size	DESCRIPTION	POSITION	PART#
2.5cm	B+B- Water Fall	Pos 01	10.17.0039
2.5cm	B+B- Water Fall	Pos 02	10.17.0040
2.5cm	B+B- Water Fall	Pos 03	10.17.0041

Size	DESCRIPTION	POSITION	PART#
3/8	B- Half	Pos 01	10.17.0030
3/8	E- Bevel	Pos 01	10.17.0005
2cm	A- Eased Edge	Pos 01	10.17.0064
3cm	PN- Pencil Edge	Pos 01	10.17.0065
3cm	PN- Pencil Edge	Pos 02	10.17.0066
4cm	PN- Pencil Edge	Pos 01	10.17.0067
4cm	PN- Pencil Edge	Pos 02	10.17.0068
Router Bit Bearing for Full Bullnose			10.17.0001
Router Bit Bearing for Ogee/Demi			10.17.0002

PROFILING TOOLS

ROUTER BITS SEGMENTED



Size	DESCRIPTION	POSITION	PART#
2cm	B- Demi bullnose	Pos 01	10.17.0050
3cm	V- Full Bullnose	Pos 01	10.17.0051
2cm	F – Ogee	Pos 01	10.17.0052
3cm	F – Ogee	Pos 01	10.17.0053
2cm	E – Bevel	Pos 01	10.17.0049
3cm	E – Bevel	Pos 01	10.17.0063



ROUTER BITS VACUUM BRAZED

- ◆ Vacuum brazed profilers with internal water feed
- ◆ 5/8-11 arbor
- ◆ Wet cutting
- ◆ Max rpm 3500

Size	DESCRIPTION	POSITION	PART#
2cm	E – Bevel	Pos 01	10.17.0043
2cm	B- Demi bullnose	Pos 01	10.17.0044
3cm	V- Full Bullnose	Pos 01	10.17.0045
2cm	F – Ogee	Pos 01	10.17.0046
10cm	Half 3/8"	Pos 01	10.17.0047



CNC Oma Finger Bit Green

For use on Granite, Quartz, Quartzite, Marble.

- ◆ 1/2" gas connection.
- ◆ Wet use only.
- ◆ 8 Segments.

RPM	FEED RATE	SIZE	PART#
7000-8500	12-16" per minute On Quartzite		
7000-8500	15-24" per minute On Quartz	20mm x 40mm	10.12.0078
7000-8500	15-24" per minute On Granite		



CNC Oma Dekton Finger Bit

For use on Dekton, Neolith, Porcelain, Ceramic.

- ◆ 1/2" gas connection.
- ◆ Wet use only.
- ◆ 8 Segments.

RPM	FEED RATE	SIZE	PART#
5400-6400	10-14" per minute	40mm x 18mm	10.12.0079



CNC Puma Finger Bit Green

For use on Granite, Quartz, Quartzite, Marble and Engineered Stone.

- ◆ 1/2" gas connection.
- ◆ Wet use only.
- ◆ 5 Segments.

RPM	FEED RATE	SIZE	PART#
4500-5200	10-16" per minute	20mm x 40mm	10.12.0080



CNC Racer High Finger Bit

For use on Granite, Marble and Engineered Stone.

- ◆ 1/2" gas connection.
- ◆ Wet use only.
- ◆ 8 Segments.

RPM	FEED RATE	SIZE	PART#
5500-8500	24-36" per minute	20mm x 40mm	10.12.0081



CNC Arix Finger Bit

For use on Granite, Marble and Engineered Stone.

- ◆ 1/2" gas connection
- ◆ Wet use only.
- ◆ 6 Segments.

RPM	FEED RATE	SIZE	PART#
3500-4000	24-36" per minute	10-12" per minute	10.12.0077



CNC Zenezis Finger Bit

For use on Granite, Marble and Engineered Stone.

- ◆ 1/2" gas connection.
- ◆ 4 and 7 Segments.

RPM	FEED RATE	SIZE	PART#
		20mm x 40mm, 4 seg	10.12.0085
		22mm x 40mm, 7 seg	10.12.0086
4200-5500	12-16" per minute	20mm x 50mm, 4 seg	10.12.0087
		22mm x 50mm, 7 seg	10.12.0088



**Rockpecker Cnc Core Bits
Granite 1/2 Gas**

Marble, Quartz, Quartzite, Engineered Stone, Natural Stone.

- ◆ Total length: 4 3/16" (106mm).
- ◆ Drilling depth: 2 9/16" (65mm).
- ◆ 1/2 Gas male CNC Thread.
- ◆ Feed rate: between 3"-4" per minute.

Size	RPM	PART#
1/2"	1400TO 2800	10.12.0065
1-1/4"	1400TO 2800	10.12.0062
1-3/8"	1400TO 2800	10.12.0064
1-1/2"	1400TO 2800	10.12.0061
1-3/4"	1400TO 2800	10.12.0089
2"	1400TO 2800	10.12.0066
3"	1400TO 2800	10.12.0067



**Weramic Cnc Core Bits
Porcelain Ceramic 1/2 Gas**

Porcelain Ceramic Core Bit for Dekton, Lapitec, Neolith, and other.

- ◆ **Large format Porcelain Panels.**
- ◆ Total length: 3 7/8" (100mm).
- ◆ Drilling depth: 1 7/8"
- ◆ 1/2 Gas male CNC Thread.
- ◆ Feed rate: between 3"-4" per minute.

Size	RPM	PART#
1"	1400TO 2800	10.12.0072
1-1/4"	1400TO 2800	10.12.0070
1-3/8"	1400TO 2800	10.12.0071
1-1/2"	1400TO 2800	10.12.0069
2"	1400TO 2800	10.12.0074
2-1/2"	1400TO 2800	10.12.0073
3"	1400TO 2800	10.12.0075



CNC Gauging Wheel

OMA CNC 50mm Bore Granite Gauging Milling.

Wheel for Granite, Marble, Engineered Stone, Quartz, Quartzite.

- ◆ 88mm diameter and 150mm diameter.
- ◆ 24mm diamond height and 48mm diamond height.
- ◆ 50mm bore for granite.
- ◆ 4500-5500 recommended rpm.

Size	PART#
88 X 24 X 50	10.12.0003
150 X 48 X 50	10.12.0002



Radial Arm FingerTip

Radial Arm Finger BitTip for Granite, Marble, Quartz, Quartzite, Engineered Stone Countertop sink and vanity bowls.

- ◆ 20mm x 20mm x 12mm thread.
- ◆ Designed for radial arm machines.
- ◆ Cutting bowls.
- ◆ Used with a 1/2 Gas Adapter.

Size	PART#
20 x 20 x 12 radial arm 1/2"	10.12.0083
Adapter with 12mm female 1/2 gas thread	10.12.0084

ABACO LITTLE GIANT LIFTER



A Family of powerful lifters fit a wide range of slab handling operations.

Large section of the lifter is located in front allowing placing slabs close against the background wall, a compact design to easily operate in narrow places.

Large size, natural rubber coated grip pads together with the smart clamping system enhance safe slab lifting.

Note: Swivel shackle included Available in Black(-B) and White (-W) rubber.

VERSATILITY: The Abaco Lifters are ideal for construction jobs. The clamping mechanism is at the front of the slab which allows panels to be positioned closely against the walls.

SIZE: The compact design makes it easy to lift the packed slab out of containers and racks.

SAFETY: Just a slight movement of the slab, engages and grips the slab without too much effort, thus preventing hazard to the operator.

Model	Length In(mm)	Width In(mm)	Height In(mm)	Grip Range In(mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	MODEL	PART#
ALG30	7 1/2 (200)	5 11/16 (144)	12 13/16 (325)	3/8 ~ 1 3/16 (10 ~ 30)	34.54 (15.7)	2200 (1000)	ALG50-B	10.15.0004
ALG40	8 5/16 (211)	6 13/16 (173)	14 9/16 (370)	3/8 ~ 1 9/16 (10 ~ 40)	49.5 (22.5)	2860 (1300)	ALG50-W	10.15.0006
ALG50	8 5/16 (211)	7 3/16 (183)	14 9/16 (370)	3/8 ~ 1 15/16 (10 ~ 50)	49.72 (22.6)	2860 (1300)	ALG75-B	10.15.0008
ALG60	8 1/2 (216)	7 15/16 (202)	15 7/8 (403)	13/16 ~ 2 3/8 (20 ~ 60)	58.96 (26.8)	3300 (1500)	ALG75-W	10.15.0009
ALG75	8 1/2 (216)	8 5/8 (219)	15 7/8 (403)	1 3/16 ~ 2 15/16 (30 ~ 75)	59.4 (27)	3300 (1500)		

ABACO LITTLE GIANT LIFTER AUTOMATIC




Eliminates the need for a second person to be risk in danger zone while lifting slabs. The is no locking latch to manage.

The clamp is equipped with Auto lock & automatically closes to grip the slab during pick-up & automatically opens to release the slab on set-down.

Model	Length In(mm)	Width In(mm)	Height In(mm)	Grip Range In(mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	MODEL	PART#
ALG40A	8 7/16 (214)	6 7/8 (174)	15 3/16 (385)	3/16 ~ 1 9/16 (5 ~ 40)	50.82 (23.1)	2860 (1300)	ASCL50A-W	10.15.0007
ALG50A	8 7/16 (214)	7 1/4 (184)	15 3/16 (385)	3/8 ~ 1 15/16 (10 ~ 50)	51.4 (23.2)	2860 (1300)	ASCL75A-W	10.15.0010
ALG60A	8 7/16 (214)	8 1/8 (206)	16 3/4 (425)	13/16 ~ 2 3/8 (20 ~ 60)	61.82 (28.1)	3300 (1500)		
ALG75A	8 7/16 (214)	8 1/2 (216)	16 3/4 (425)	1 3/16 ~ 2 15/16 (30 ~ 75)	62.04 (28.2)	3300 (1500)		

MATERIAL HANDLING

ABACO STANDARD A-FRAME



Includes Timber Blocks to protect material and improve stability.

Designed for the storage of slabs, the Standard A-Frame comes as a set of two. It is constructed with 2" square steel tubing and 4" channel base blocks with angled timber base to protect the material.


This sturdy construction makes the Abaco Standard A-Frame an ideal choice when compared with other A-Frames in the market.

SOLD IN PAIRS.

DISTRIBUTED SLABS EQUALLY ON BOTH SIDES

Model	Length (A) In(mm)	Width (B) In(mm)	Height (C) In(mm)	(D) In(mm)	(E) In(mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
SAF060	58 15/16 (1497)	3 15/16 (100)	58 11/16 (1490)	57 1/8 (1451)	17 15/16 (455)	121 (55)	16500 (7500) per side 33000 (15000) both side	10.15.0018
ESAF060	58 15/16 (1497)	3 1/8 (80)	58 11/16 (1490)	58 7/16 (1484)	17 11/16 (450)	88 (40)	13200 (6000) per side 26400 (12000) both side	10.15.0019

ABACO HEAVY DUTY TRUCK A-FRAME



The Abaco Truck A-Frame is constructed with two Standard A-Frame joined by a crossbar which can be extended to an overall length of five feet. It is designed for picking up slabs and moving them from one job site to another.

Includes Timber Blocks to protect materials and improve stability.

DISTRIBUTED SLABS EQUALLY ON BOTH SIDES

Model	Length (A) In(mm)	Width (B) In(mm)	Height (C) In(mm)	(D) In(mm)	(E) In(mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
TAF060	59 13/16 (1520)	58 15/16 (1497)	58 11/16 (1490)	17 15/16 (455)	57 1/8 (455)	138.6 (63)	16500 (7500) per side 33000 (15000) both side	10.15.0023
ETAF060	59 1/16 (1500)	58 15/16 (1497)	58 11/16 (1490)	57 1/4 (1454)	17 7/8 (454)	99 (45)	13200 (6000) per side 26400 (12000) both side	10.15.0024



ABACO BI-LEVEL A-FRAME

Designed for transporting, maintaining, and securing slabs/glass sheets in the warehouse and job site.

- ◆ Upper level can be folded to suit your needs.
- ◆ Rubber lining prevents damage to the slabs/glass sheets.
- ◆ Cross bars increase stability.
- ◆ Built-in brackets make it convenient.
- ◆ Caster brakes make the frame immobile.

Technical Specification:

- ◆ Rolling Capacity: 4400 lbs (2000 kg)
- ◆ Stationary without Casters: 30800 lbs (14000 kg)
- ◆ Upper-level loading capacity per side: 1760 lbs (800 kg)

Length	Width	Height	NetWeight	#PART
71-3/8"	43-1/4"	85-3/4"	655.6 LBS	10.15 0029



ABACO ONE STOP A-FRAME

- ◆ The Abaco One Stop A-Frame is designed for transporting material and storing it in the shop or at the job site.
- ◆ The slab/glass sheets are placed on special rubber profiles and secured with four (4) ratchet securing bars. The center section can be used to store tools, small back splash, etc.
- ◆ The frame features two (2) eyelets that can be used to lift the frame with an overhead crane.
- ◆ Space is provided on all sides for forklift transport base.
- ◆ Quick release mounting pins change the unit from a mobile A-frame to a stationary A-frame.

MODEL	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	NetWeight lbs (kg)	Lifting with Eyelets lbs (kg)	Rolling capacity lbs (kg) *	Stationary W/o Casters lbs (kg) **	#PART
OSA4747	47 5/8 (1210)	43 5/16 (1100)	62 3/8 (1585)	46 7/8 (1190)	13 1/8 (333)	266.2 (121)	5500 (2500)	4400 (2000)	17600 (8000)	10.15.0030
OSA6135	60 13/16 (1544)	38 5/16 (973)	50 1/2 (1282)	35 1/16 (890)	11 7/16 (290)	345.4 (157)	5500 (2500)	4400 (2000)	17600 (8000)	10.15.0031
OSA7247	71 13/16 (1824)	43 5/16 (1100)	61 (1550)	46 7/8 (1190)	13 1/8 (333)	367.4 (167)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0032
OSA7263	71 13/16 (1824)	43 5/16 (1100)	78 3/8 (1986)	61 3/4 (1569)	13 3/4 (349)	413.6 (188)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0033
OSA7275	71 5/8 (1820)	43 5/16 (1100)	89 15/16 (2285)	73 1/2 (1867)	12 1/16 (322)	448.8 (204)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0034
OSA7286	71 5/8 (1820)	43 5/16 (1100)	102 15/16 (2614)	86 7/16 (2195)	11 5/8 (295)	470.8 (214)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0035
OSA8756	86 1/4 (2190)	43 5/16 (1100)	70 7/8 (1800)	54 5/8 (1387)	11 5/8 (299)	434.28 (197.4)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0036
OSA8763	86 3/8 (2194)	43 5/16 (1100)	77 15/16 (1980)	61 3/4 (1569)	11 5/8 (296)	462 (210)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0037
OSA9463	94 1/2 (2400)	43 5/16 (1100)	82 5/16 (2090)	64 5/16 (1634)	13 1/2 (343)	554.4 (252)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0038
OSA9679	94 1/2 (2400)	47 1/4 (1200)	93 11/16 (2380)	77 3/8 (1971)	13 3/8 (339)	571.12 (259.6)	5500 (2500)	4400 (2000)	30800 (14000)	10.15.0039

* with caster wheel / ** removing caster wheels

MATERIAL HANDLING

ABACO WORKING TABLES



Abaco Working Table is designed to support slabs for polishing, sharpening, cutting, and many other purposes.

- ♦ Built – in brackets designed for the user to create different work stations.
- ♦ The top is covered with rubber to protect slabs from being damaged.
- ♦ Abaco Working Table is easy to assemble and disassemble for transport.
- ♦ Abaco Working Table with casters in stock.

CENTER SUPOORT BAR (SOLD SEPARATELY) CAN BE ATTACHED IF REQUIRED.

DIFFERENT LAYOUTS SHOWN USING MULTIPLE WORKING TABLES.

Model	Length (A) In(mm)	Width (B) In(mm)	Height (C)In(mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
AWT7523	75 7/8 (1927)	23 15/16 (608)	37 15/16 ~ 40 9/16 (965 ~ 1030)	147.4 (67)	4840 (2200)	10.15.0010
AWT7523C	75 7/8 (1927)	23 15/16 (608)	37 15/16 ~ 40 9/16 (965 ~ 1030)	162.8 (74)	4840 (2200)	10.15.0041

ABACO FOLDABLE TABLES



- ♦ Abaco Foldable Table is to be used for supporting the slabs during machining, cutting, grinding, polishing, or drilling.
- ♦ The height is adjustable from 32 5/8" (828 mm) to 44 5/16" (1125 mm).
- ♦ Articulated connecting links make it possible to adjust the table width exactly to fit the variations of the slabs.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In(mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
AFT7923	14 3/8 ~ 78 3/4 (365 ~ 2000)	23 5/8 (600)	32 5/8 ~ 44 5/16 (828 ~ 1125)	103.4 (47)	3080 (1400)	10.15.0042
AQFT7923	12 15/16 ~ 78 3/4 (330 ~ 2000)	25 9/16 (650)	32 13/16 ~ 44 1/8 (833 ~ 11121)	92.4 (42)	3080 (1400)	10.15.0043

MATERIAL HANDLING

ABACO DOLLY



Abaco Tug Dolly is designed for transporting slabs easily and safely basically for use (on flat surfaces). It is convenient to use especially along narrow working alleys.

- The main body is made of aluminum, lightweight, and easy to handle with good portability. Tug Dolly is able to carry a big load, capacity up to 450 kg.
- With four-solid-wheel structure, Tug Dolly is unshockable, easy to handle and efficient in moving material slabs without being damaged.
- The gray rubber compound allows minimizing tire marks on light colored floors.

Model	Length (A) In(mm)	Width (B) In(mm)	Height (C) In(mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
ATD19	24 (610)	12 7/8 (307)	12 1/16 (307)	0 ~ 2 7/8 (0 ~ 73)	30.8 (14)	990 (450)	10.15. 0044
ATD25-B	27 15/16 (710)	15 1/16 (382)	12 1/16 (307)	0 ~ 5 1/8 (0 ~ 130)	33 (15)	990 (450)	10.15. 0025
ATD25-W	27 15/16 (710)	15 1/16 (382)	12 1/16 (307)	0 ~ 5 1/8 (0 ~ 130)	33 (15)	990 (450)	10.15. 0027
ATD60-B	60 (1524)	21 1/2 (546)	22 7/8 (581)	0 ~ 2 7/8 (0 ~ 73)	70.4 (32)	990 (450)	10.15. 0026
ATD60-W	60 (1524)	21 1/2 (546)	22 7/8 (581)	0 ~ 2 7/8 (0 ~ 73)	70.4 (32)	990 (450)	10.15. 0028

MATERIAL HANDLING

ABACO SLAB DOLLY

SD008 - Solid Rubber Tires 8"



SD011 - Pneumatic Tires 11"



Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
SD008	20 1/16 (510)	9 13/16 (250)	8 1/16 (205)	3 1/8 (80)	18.7 (8.5)	660 (300)	10.15.0045
SD011	20 1/16 (510)	10 5/8 (270)	12 1/8 (308)	3 1/8 (80)	22 (10)	660 (300)	10.15.0046

SD013 - Pneumatic Tires 13"



GD013 - Pneumatic Tires 13"



Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
SD013	27 15/16 (710)	13 3/8 (340)	13 3/16 (335)	3 1/8 (80)	37.4 (17)	1430 (650)	10.15.0047
GD013	27 15/16 (710)	14 15/16 (380)	13 3/16 (335)	4 3/4 (120)	40.7 (18.5)	1430 (650)	10.15.0048

SDS003 - Pneumatic Tires 13"



GDS003 - Pneumatic Tires 13"



Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	#PART
SDS003	20 1/16 (510)	9 13/16 (250)	8 1/16 (205)	3 1/8 (80)	27 (12)	880 (400)	10.15.0049
GDS003	19 3/8 (498)	13 7/16 (342)	8 1/16 (205)	6 5/8 (170)	30 (13.5)	880 (400)	10.15.0050

MATERIAL HANDLING

ABACO DOUBLE HANDED CARRY CLAMPS




SOLD IN PAIRS



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit Per Piece lbs (kg)	#PART
ACC40-B	11 5/16 (288)	5 1/8 (130)	9 7/16 (240)	0 ~ 1 9/16 (0 ~ 40)	11.44 (5.2)	550 (250)	10.15.0020
ACC40-W	11 5/16 (288)	5 1/8 (130)	9 7/16 (240)	0 ~ 1 9/16 (0 ~ 40)	11.44 (5.2)	550 (250)	10.15.0022
ACC60-W	13 11/16 (348)	5 3/16 (132)	9 7/16 (240)	0 ~ 2 3/8 (0 ~ 60)	11.88 (5.4)	550 (250)	10.15.0021

ABACO 90 DEGREE CLAMPS



SOLD IN PAIRS

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Max. Material Height In (mm)	Max. Material Thickness In (mm)	#PART
A90CM2	8 7/8 (288)	5 1/4 (134)	12 11/16 (322)	8.58 (3.9)	7 7/8 (200)	1 9/16 (40)	10.15.0001
A90CM3	9 7/16 (240)	5 3/8 (136)	13 9/16 (345)	12.32 (5.6)	10 1/16 (255)	1 9/16 (40)	10.15.0002

MATERIAL HANDLING

ABACO EZ-PRO BATTERY SEAM SETTER

BEFORE



AFTER



- ♦ Abaco EZ-PRO Battery Seam Setter (AEBSS12V) is designed with easy adjustment feature to help position and join the two slab tiles together equally by its edges prior gluing them.
- ♦ Two rectangular suction cups are made of soft rubber material which enhances firm adhesion between the two stone slab tiles and the suction cups.
- ♦ This seam setter is fully operated by battery system via the control buttons functioned Power, Vacuum, Release, and Movement.
- ♦ AEBSS12V is mainly made out of aluminum, so it is lightweight and durable.

Model	Length In (mm)	Width In (mm)	Height In (mm)	NetWeight lbs (kg)	Voltage (VDC)	#PART
AEBSS12V	20 1/16 (510)	10 5/8 (270)	5 9/16 (142)	17.6 (8)	12	10.15.0003

MAX AGGRESSIVE SEAM SETTER



Model	SSMAX90
#PART	10.15.0017

Model	SSMAX
#PART	10.15.0016

ABACO SINK HOLE SUPPORT SYSTEM



SOLD IN PAIRS

- ♦ Abaco Sink Hole Support System is a device that protects the finished stone piece from cracking during lifting, moving, and installation.
- ♦ The device is an ideal solution to strengthen countertop with sink hole cutout, especially for fragile stone materials.
- ♦ This versatile design uses the combined clamping power of 20 single suction cups with two high strength extruded aluminum support rails.
- ♦ The suction cups quickly slide and lock in the rail for customer's choice of placements around sinkholes.

MODEL	SH83-B
PART#	10.15.0012

MODEL	SH83-A
PART#	10.15.0013

MATERIAL HANDLING

ABACO RHINO SLAB RACK

SET COME WITH 20 POLES

- Abaco Rhino Slab Rack is ideal for storing slabs of different sizes in warehouses, factories, workshops, etc.
- Accommodate various thicknesses of different slabs, Poles can be set at different positions in the base.

Model	Length In (mm)	Width In (mm)	Height In (mm)	NetWeight Per Pair lbs (kg)	Capacity lbs (kg)	Quantity of Hole on Base Per Side	#PART
RSR010	118 9/16 (3012)	7 9/16 (192)	59 3/16 (1504)	607.2 (276)	6000 (2727)	28	10.15.0051
RSR10R	118 9/16 (3012)	7 9/16 (192)	59 3/16 (1504)	646.8 (294)	6000 (2727)	28	10.15.0052



ABACO SLAB RACK

SET COME WITH 2 BASES AND 20 POLES

Ideal for shops with limited storage space.

Model	Length In (mm)	Width In (mm)	Height In (mm)	NetWeight Per Pair lbs (kg)	Capacity lbs (kg)	Quantity of Hole on Base Per Side	#PART
QSRK010	118 9/16 (3012)	7 9/16 (192)	59 7/16 (1510)	279.4 (127)	5500 (2500)	11	10.15.0053
QSRK010R	118 3/4 (3016)	7 9/16 (192)	59 9/16 (1504)	305.14 (138.7)	5500 (2500)	11	10.15.0054



ABACO BUNDLE SLAB RACK

- Abaco Bundle Slab Rack is a must-have for larger slab yards and fabricators that store multiple slabs.
- It is designed to store bundles of marble and granite in the warehouse or slab yard.

Model	Length In (mm)	Width In (mm)	Height In (mm)	NetWeight Per Pair lbs (kg)	Capacity lbs (kg)	Quantity of Hole on Base Per Side	#PART
BSR010	118 9/16 (3012)	6 9/16 (166)	59 7/16 (1510)	629.2 (206)	22000 (10000)	7	10.15.0055



ABACO RHINO SLAB RACK


SET COME 2 BASES AND 20 POLES

- Abaco Remnant Slab Rack is designed specifically for storing smaller slabs such as leftover pieces for the next job.
- It is very economical and compact. You no longer need to throw away smaller pieces or use up valuable space in full-size racks.

Model	Length In (mm)	Width In (mm)	Height In (mm)	NetWeight Per Pair lbs (kg)	Capacity lbs (kg)	Quantity of Hole on Base Per Side	#PART
RES27	118 7/16 (3008)	4 (102)	27 13/16 (706)	149.6 (68)	2205 (1000)	15	10.15.0056
RES34	118 7/16 (3008)	6 5/16 (160)	35 7/8 (911)	138.6 (63)	2205 (1000)	14	10.15.0057



FORKLIFT BOOM




NEW
Products



The Abaco Forklift Boom Version B offers versatility with maximum visibility for the operator. When fully extended, Abaco Forklift Boom reaches up to 99 1/4" (2500 mm).

Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended (lbs (kg))	Net Weight lbs (kg)	Work Load Limit (lbs (kg))	#PART
AFJ25-B	61 5/8 (1565)	22 13/16 (580)	11 1/4 (285)	1540 (700)	204.6 (93)	6160 (2800)	10.15.0058

SWING ARM FORKLIFT BOOM



- ♦ Abaco Swing Arm Forklift Boom is ideal for moving hard to reach slabs.
- ♦ It is particularly designed for unloading closed top containers and for small factories where space is a critical factor.
- ♦ The swing arm has 5 lock points and various angles with length extended up to 2.7 yards (2.5m).
- ♦ Paired with the Abaco lifter, it is the best way to unload containers.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended (lbs (kg))	Net Weight lbs (kg)	Work Load Limit (lbs (kg))	#PART
AFJS25	67 5/16 (1710)	35 7/16 (900)	16 9/16 (420)	1540 (700)	286 (133)	6160 (2800)	10.15.0059

DUMPSTER

- ♦ Handy lever action assures safe dumping.
- ♦ Reinforced steel makes the dumpster last longer.
- ♦ Heavy duty channel forklift pocket and safety pin add stability and safety when unloading.
- ♦ Compact design with two (2) heavy duty swivel casters with brakes and two (2) rigid casters allow the Dumpster to be moved around the shop floor, construction site or through narrow spaces easily.


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit (lbs (kg))	Volume ft ³ (m ³)	#PART
CD70	58 7/8 (1496)	47 7/8 (1216)	40 3/16 (1020)	578.6 (263)	2640 (1200)	25 (0.705)	10.15.0060
CD102	63 1/8 (1604)	50 15/16 (1295)	45 7/16 (1154)	719.4 (327)	3300 (1500)	35.4 (1.002)	10.15.0061



MATERIAL HANDLING

ABACO SWIVEL SHACKLE

- Come as a standard with all of Little Giant Lifters.
- It gives user the flexibility to rotate the slab 360 degrees.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Loading Capacity lbs (kg)	Net Weight lbs (kg)	#PART
SWS2500	5 1/4 (133)	1 5/8 (42)	11 1/4 (286)	5512 (2500)	7.48 (3.4)	10.15.0062

ABACO BOW SHACKLE

- Ideal for straight lifts where slab rotation is not an issue.
- Can be used with a Forklift Boom or Abaco Lifters or Scissor Clamps.



#PART
10.15.0063

ABACO LOCKING SET



#PART
10.15.0005

ABACO CABLE CONNECT SLING



- Abaco Cable Connect Sling allows for extra lifting room.
- Can be used with all of Abaco Lifters and Forklift Booms.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Cable Diameter In (mm)	Loading Capacity lbs (kg)	Net Weight lbs (kg)	#PART
ASL017	16 13/16 (427)	3 3/8 (85)	3/4 (19)	3/8 (10)	3300 (1500)	2.64 (1.2)	10.15.0064

ABACO SLAB EDGE GUARDS



Abaco Slab Edge Guard supports countertops, stone panels, finished pieces, etc to avoid breaking, chipping, or scratching.

- PART# 10.15.SEG20W
- PART# 10.15.SEG20B
- PART# 10.15.SEG40W
- PART# 10.15.SEG40B

ABACOTHE WEDGE



Minimize the likelihood of worker injuries while moving slabs more efficiently.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	#PART
SW63	4 3/4 (120)	2 1/2 (53)	10 1/16 (255)	0.88 (0.4)	10.15.0014

E-Z SINK BRACKET



- ♦ Easy installation under any type of countertop.
- ♦ Won't damage expensive cabinetry.
- ♦ Sold in pairs.

PART# 10.01.0084

E-Z DISHWASHER BRACKET



- ♦ Made in USA from 22 gauge galvanized steel.
- ♦ Can be installed prior to or after countertop installation.
- ♦ Sold in box of 25 units.

PART# 10.01.0014

MAX AGGRESSIVE® SINK ANCHORS



Closed-end 10/40 thread anchors.

PART# 10.01.0003

MAX AGGRESSIVE® SINK BRACKET



Sink Undermount Bracket Bag of 50 units.

PART# 10.01.0040

S MAX AGGRESSIVE® CREWS 10/24THREAD SCREWS

- ♦ Box of 100 units

Size	PART#
1/2" PAN	10.01.0034
3/4" PAN	10.01.0035
1" PAN	10.01.0033
1 1/2" PAN	10.01.0031
1 1/2" FLAT	10.01.0030



INSTALLATION AND SHOP SUPPLIES

FIBERGLASS SUPPORT RODDING



- For Granite, Engineered Stone CounterTops.

PART#	SIZE	THICKNESS
10.01.0018	330 foot	1/8" x 3/8"

COUNTERTOP PROTECTIVE FILM



- Great for natural stone & engineered surface.
- Scratch resistant.
- Protect Seams & grout lines.

PART#	SIZE	THICKNESS
10.01.0012	24" x 600'	2.5MIL* BLUE
10.01.0013	24" x 600'	3.5MIL* BLUE

WEHAYELLOW RODDING STAND



PART# 10.01.0068

NELSON WOOD SHIMS



- 8" Pine Shims.
- 120 Shims in a box.

PART# 10.01.0092

OVERHANG SUPPORT BRACKETS

- Stone Braces are for support stone overhangs and should be placed at about 18"-24" centers.
- Varies depending on the type and strength of the stone.

Size	PART#
10" x 2.5" x 1/4" THICKNESS	10.01.0051
10" x 3" x 1/4" THICKNESS	10.01.0052
12" x 2.5" x 1/4" THICKNESS	10.01.0053
12" x 3" x 1/4" THICKNESS	10.01.0054
15" x 3" x 1/4" THICKNESS	10.01.0055
10" x 10" x 1/4" THICKNESS L-SHAPE	10.01.0056
10" x 15" x 1/4" THICKNESS L-SHAPE	10.01.0057



MAX AGGRESSIVE® C- CLAMPS



- ♦ Industrial Grade Construction.
- ♦ Heavy Duty cast iron body.

PART# 10.01.0007

MAX AGGRESSIVE® BAR CLAMP



Ideal for all types of light-duty clamping.
PART# 10.01.0015

MAX AGGRESSIVE® 45°MITER CLAMP



Function: The 45 degree mitre clamp is mainly used for jointing artificial and natural stone.

PART# 10.01.0077

MAX AGGRESSIVE® DOUBLE SUCTION CUP



- ♦ Ideal for the lifting of smooth flat surface materials.
- ♦ 110 lbs capacity per cup.
- ♦ 4.8" diameter each cup.

PART# 10.01.0061

MAX AGGRESSIVE® SUCTION LIFTER ABS HANDLE



- ♦ Rust resistant parts.
- ♦ 8" Single Vacuum.
- ♦ 125 lbs capacity and come with protective case.

PART# 10.01.0060

MAX AGGRESSIVE® SUCTION LIFTER METAL HANDLE



- ♦ Built for heavy-duty installation with all metal handle / pump assembly.
- ♦ 8" Single Vacuum.
- ♦ 175 lbs capacity and come with protective case.

PART# 10.01.0082

POLYPROPYLENETEMPLATE



25 Strips pe bundle.
PART# 10.01.0085

HOT MELT GLUE STICKS



12 units per bag.
PART# 10.01.0015

KOMELON STAINLESS STEEL MEASURINGTAPE



- ♦ All metallic components are stainless steel.
- ♦ Impact resistant rubberized case.

PART# 10.01.0024

CHINA MARKERS



- ♦ Easy peel off wrapper.
- ♦ Needs no Sharpening.
- ♦ Red- box of 12units.

PART# 10.01.0008

STAEDTLER DRY MARKER



- ♦ Can be wiped off. Non- Permanent Red.

PART# 10.01.0027

PRESTO CORRECTION PEN



- ♦ Fine point metal tip applicator makes for easy pinpoint corrections.
- ♦ Box of 12 units.

PART# 10.01.0010

MAX AGGRESSIVE® STONE MARKER PEN



- ♦ Works Great on Granite, Quartz and others surfaces.
- ♦ Quick Dry.
- ♦ Multipurpose use.
- ♦ Fine point Metal.

PART# 10.01.0011

CARPENTER PENCIL



Box of 12 units.
PART# 10.01.0026

INSTALLATION AND SHOP SUPPLIES

TONGUE DEPRESSORS




1 Side Square End & 1 Side Round End. Box with 500 units
PART# 10.01.0081

HAND HELD SQUEEGEES



Double layer foam rubber that pulls and/or pushes the water cleanly from the surface. 18" Stone Foam Rubber.
PART# 10.01.0049

9" CAULK GUN



Quick-release lever simplifies cartridge changes.
PART# 10.01.0079

TERRY CLOTH RAGS



10LBS box.
PART# 10.01.0028

"L" SQUARE 16" X 24"



Easy to read Imperial and Metric markings.
PART# 10.01.0047

MIXING CUPS



Waxed cups. 100/Bag.
PART# 10.01.0025

SINGLE EDGE RAZOR BLADES



100 units per box.
PART# 10.01.0029

LATEX GLOVES POWDER FREE



Disposable Latex Gloves. 100 pairs per box.
PART# 10.01.0031

COMBINATION SQUARE



Size	PART#
06" Combination Square	10.01.0002
12" Combination Square	10.01.0046

T-SQUARE 22" X 48" 1/8" THICKNESS



Easy to read Imperial and Metric markings.
PART# 10.01.0038

RADNOR® SAFETY GLASS



Classic clear frameless safety glasses with clear polycarbonate anti-scratch lens.

DESCRIPTION	PART#
CLEAR LENS	10.01.0028
DARK LENS	10.01.0029

MOLDEX SOFTIES EARPLUGS

- Soft, disposable foam earplugs and 100% PVC-Free®
- Highest independently tested NRR 33.
- Longer length for easy fit & comfort.
- 200 pairs per box.



PART# 10.01.0027

MAX AGGRESSIVE® PARTICULATE RESPIRATOR

- NIOSH approved N95.
- Adjustable nose piece w/foam cushion.
- Box w/20 units.



PART# 10.01.0030

3M HALF FACEPIECE REUSABLE RESPIRATOR

- This respirator is NIOSH approved for negative pressure air purifying and is dual airline supplied air compatible.
- When used with compatible cartridges and filters (sold separately).



DESCRIPTION	PART#
3M 6300 LARGE	10.03.0002
3M 6200 MEDIUM	10.03.0003
3M 2091 FILTER	10.03.0001

STANDARD EARMUFF



NRR25 Rating.
PART# 10.01.0026

ELASTIC BACK SUPPORT

Heavy-duty woven elastic back and rubber coated, sewn-in support stays offer superior abdominal support.

DESCRIPTION	PART#
Small 25" – 30"	10.03.0004
Med 30" – 34"	10.03.0005
Large 34" – 38"	10.03.0006
XL 38" – 42"	10.03.0007
2XL 42" – 46"	10.03.0008



PARTICULATE RESPIRATOR

- KN95 Mask, Filter Efficiency 95%.
- Filter Breathable Layer Protection.
- Box W/ 10 units.



PART# 10.01.0032

MAX AGGRESSIVE® GREEN APRON

- Chemical-resistant apron vinyl material.
- Length 45" x Width 35"



PART# 10.01.0004

SLEEVE PROTECTOR



- Weha Stone Sleeves are outstanding for colder weather.
- Keeps the arms completely dry.
- 20" long.

PART# 10.01.0042

MAX AGGRESSIVE® STEELTOE PVC WORK BOOTS



- ◆ Abrasion-resistant nylon net lining for Easy on/off.
- ◆ V-bar molded shank for complete outsole support.

PART#	Size	PART#	Size
10.03.0011	#06	10.03.0014	#10
10.03.0010	#07	10.03.0015	#11
10.03.0012	#08	10.03.0016	#12
10.03.0013	#09	10.03.0017	#13

MAX AGGRESSIVE® ALL PURPOSE PVC WHITE BOOTS



Specifically designed for concrete construction, agricultural, food processing venues and more.

PART#	Size	PART#	Size
10.03.0018	#06	10.03.0022	#10
10.03.0019	#07	10.03.0023	#11
10.03.0020	#08	10.03.0024	#12
10.03.0021	#09	10.03.0025	#13

YELLOW RAIN JACKET



- ◆ High quality PVC Polyester.
- ◆ 2 Front snap pockets.

PART#	DESCRIPTION
10.01.0065	XL 2 PIECES

RADNOR® YELLOW RAIN SUIT



Three-Piece Rainsuit is made of durable yet comfortable yellow 32mm coated polyester fabric with welded seams.

PART#	DESCRIPTION
10.01.00657	XL 3 PIECES

STEEL WOOL 5 LBS REELS



- ◆ Ideal for making your own hand or floor pads.
- ◆ Steel type – ALSI 1008, low carbon steel.
- ◆ Approximately 25ft per reel.

PART#	DESCRIPTION
10.01.0058	½" thick x 4" wide

STEEL WOOL HANDS PADS



- ◆ Final Finish: 0000 Super Fine Grade Steel Wool.
- ◆ Refine, smooth and finish your surface.
- ◆ Includes 12 pads per bag.

PART#	DESCRIPTION
10.01.0080	2" x 2" per pad

COTTON BUFFING PADS



Premium Quality felt pads can be used to apply or remove wax then polish for a brilliant shine.

PART#	DESCRIPTION
10.01.0065	XL 2 PIECES

FELTING BUFFING PADS



For use with polishing bars and powders

PART#	DESCRIPTION
10.01.00657	XL 3 PIECES

VOLTECYELLOW EXTENSION



- ◆ Yellow/Black 12/3 3-Conductor SJTW.
- ◆ Triple Outlet Extension Cord - 300V.

PART#	DESCRIPTION
10.01.0066	25FT

VARIABLE SPEED ANGLE GRINDERS



4-1/2" MAKITA 9564CV

- 13 AMP motor.
- 2800-10,500 RPM electronic variable speed.
- Electronic speed control maintains desired Speed under.
- Super joint system helps prevent kickback while protecting gears.

PART#	Description
10.20.0008	4 1/2 MAKITA
10.20.0007	Carbon brush set



6" MAKITA 9566CV

- 13 AMP motor.
- 4000-10,000 RPM electronic variable speed.
- SJS technology is a mechanical clutch system that helps prevent motor and gear damage.

PART#	Description
10.20.0009	6" MAKITA
10.20.0007	Carbon brush set



5" METABO WEV15-125 HT

- 13.5 AMP motor.
- 2800-9,600 RPM electronic variable speed.
- 50% more torque.
- Up to 20% more overload capacity.

PART#	Description
10.20.0030	5" METABO



6" METABO WEV15-150 HT

- 13.5 AMP motor.
- 2000-7,600 RPM electronic variable speed.
- 50% more torque.
- Up to 20% more overload capacity.

PART#	Description
10.20.0017	6" METABO

LARGE GRINDERS



7" METABO PE-15-30

- 13.5 Amp W/Lock-On.
- 800-3,000 RPM.

PART#	Description
10.20.0018	Variable speed polisher



7" MAKITA 9227C

- 10 AMP Power with Variable Speed Control.
- 600-3,000 RPM.

PART#	Description
10.20.031	Variable speed polisher

ELECTRIC WATERFED POLISHERS



4" MAKITA PW5001C

- 7.9 AMP motor.
- 2000-4,00 RPM.
- Overload protection.
- GFCI.

PART#	Description
10.20.0010	4" MAKITA WET POLISHER
10.20.0032	Carbon brush set



5" METABO PWE 11-100

- 9.6 AMP motor.
- 1,700-6,1000 RPM.
- Overload protection.

PART#	Description
10.20.0019	5" METABO WET POLISHER
10.20.0013	Carbon brush set

PNEUMATIC WET TOOLS



WEHA 5" AIR GRINDER & CUTTER

- Weight: 4.5 LBS.
- Max RPM: 11,000.
- Operating Pressure: 90 PSI.
- Air Consumption: 9.8CFM.
- Spindle Thread: 5/8-11.

PART#	Description
10.20.0023	5" WET GRINDER & CUTTER



MAX AGGRESSIVE® WET AIR POLISHER

- Weight: 2.6 LBS.
- Max RPM: 5000.
- Operating Pressure: 90 PSI.
- Air Consumption: 16 CFM.
- Spindle Thread: 5/8-11.

PART#	Description
10.20.0009	SIDE EXHAUST

WEHA WET AIR POLISHER



- Max RPM: 4,500.
- Operating Pressure: 90 PSI.
- Air Consumption: 6CFM.
- Spindle Thread: 5/8-11.

PART#	DESCRIPTION
10.20.0025	REAR EXHAUST

MAX AGGRESSIVE® WET AIR POLISHER



- Max RPM: 5,500.
- Operating Pressure: 90 PSI.
- Air Consumption: 16CFM.
- Spindle Thread: 5/8-11.

PART#	DESCRIPTION
10.20.0035	REAR EXHAUST

PNEUMATIC AIR TOOL OIL



- 16oz bottle.
- Inhibits rust.
- Non- corrosive.

PART#	DESCRIPTION
10.05.0013	AIR OIL TOOL

CIRCULAR SAWS



5" MAKITA 4101RH

- Wet cutting saw 7.9amp.
- Cover prevents water from entering motor housing.
- Includes 15ft. of tubing, water pressure.
- Regulator and valve and GFCI.

PART#	Description
10.20.0005	5" WET CIRCULAR SAW
10.20.0033	Carbon brush set



5" MAKITA 4100KB DRY MANDORY

- Powerful 13 AMP motor delivers 12,200 RPM.
- Transparent upper guard dust cover for increased visibility.
- High depth of cut capacity up to 1-9/16" at 90°.
- 1-3/8" (38mm) dust extraction port swivels 360° for convenient operation.

PART#	Description
10.20.0006	5" DRY CIRCULAR SAW
10.20.0033	Carbon brush set

STONE ROUTERS



MAX AGGRESSIVE® STONE ROUTER

- Plastic material with designed groves for Hydroblading and cooling.
- Water nozzles for colling.
- Electronic variable speed machine 2.800-11.0000 min (RPM).
- Supply power 110V.

PART#	Description
10.20.0001	Stone router machine



WEHA ROCK DOG ROUTER

- Base: Aquaplaning system.
- Water quick disconnect.
- Rotation speed: 9000 RPM.
- Supply power 230V / 60 HZ / Single phase.

PART#	Description
10.20.0008	Weha router machine



**MAX AGGRESSIVE®
PREMIUM POLYESTER**

Is a high quality polyester adhesive used to horizontally or vertically repair, rebuild, bonds and fill. Is very polishable and colors easily to match the stone. It cures fast and bonds extremely strong. Cures in lower temperatures.

SIZE	PART#	DESCRIPTION
1 QT	10.08.0027	Transparent Knife
1 GAL	10.08.0028	Transparent Knife
5 GAL	10.08.0029	Transparent Knife
1 QT	10.08.0030	Transparent Flowing
1 GAL	10.08.0031	Transparent Flowing
5 GAL	10.08.0032	Transparent Flowing



**TENAX
POLYESTER**

Tenax polyester offer the strong, fast setting and easy color matching for a wide field of stone application.

SIZE	PART#	DESCRIPTION
1 QT	10.11.0066	Transparent Flowing
1 GAL	10.11.0067	Transparent Flowing
5 GAL	10.11.0047	Transparent Flowing
1 QT	10.11.0069	Transparent Knife
1 GAL	10.11.0068	Transparent Knife
5 GAL	10.11.0041	Transparent Knife



**TENAX
TITANIUM EXTRA CLEAR GLUE**

Tenax Titanium extra clear glue has been developed with the latest Vinyl Ester technology. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all granite, marbles, quartz and quartzite materials.

SIZE	PART#	DESCRIPTION
1 QT	10.11.0046	Clear Flowing
1 GAL	10.11.0062	Clear Flowing
5 GAL	10.11.0061	Clear Flowing
1 QT	10.11.0036	Clear Knife
1 GAL	10.11.0037	Clear Knife
5 GAL	10.11.0038	Clear Knife



ELIOX 2 PART EPOXY

Tenax Elix is an extra clear bi-component Epoxy knife grade glue. Suitable to fill, glue and laminate marble, stone, granite, quartz and Ceramic. Can be used indoor and outdoor. This product is extra clear, soft and light, easy to spread and with a high gloss and brightness.

SIZE	PART#	Description
1.5 kg	10.11.0013	Part A EXTRA CLEAR
0.75 kg	10.11.0014	Part B EXTRA CLEAR



STRONGEDGE 45 (2 PART EPOXY)

StrongEdge 45, is the strongest clear, knife and flowing epoxy specifically designed for fabrication and lamination. Once applied on a countertop, the stone or substrate will not delaminate or break where StrongEdge 45 has been applied! StrongEdge 45 Express is the clearest epoxy on the market.

SIZE	PART#	Description
1qt Knife	10.11.0031	Part A 1qt and Part B 0.5kg
1qt Flowing	10.11.0070	Part A 1qt and Part B 0.5kg

SOLIDO QUARTZ

The ideal matic for glue and bonding engineered stone, Tenax Quartzo color match system will color match the most popular brands of quartz materials like Silestone, Caesarstone, Cambria, Santa Margherita Zodiac, Technistone and many other brands know in the fabrication industry.



SIZE	PART#	Description
1qt Knife	10.11.0030	Many colors available



GLAXS FAST

Tenax GLAXS Fast glues are bi-component cartridge glues are suitable for stone, marble, granite, and ceramic. Once inserted in the proper dispenser gun, product is ready for use 2 mixers nozzles included. White and Transparent also available.

SIZE	PART#	Description
215ml Transparent	10.11.0017	Sold in unit of two only
215ml White	10.11.0018	Sold in unit of two only



RIVO 15 (2 PART EPOXY)

Rivo 15 A & B is a two part knife grade epoxy designed for all types of stone. The stone will break before the bond will. Recommended for both interior and exterior applications. Material must be dry before application.

SIZE	PART#	Description
1Ltr	10.11.0028	1A + 1B glue

TITANIUM EXTRA RAPID CARTRIDGE GLUE

Tenax Titanium Extra rapid Cartridge Glue is the latest vinyl ester technology. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all granite, marbles quartz, quartzite and ceramic materials. Available in the same color as Glaxs glue.



SIZE	PART#	Description
1Ltr	10.11.0071	Sold in unit of two only

ADHESIVES



TENAX COLOR KIT 10 COLORS

Tenax universal colors were made with brilliant colors that can be used for mix multiple colors together to create the perfect color match glue for your stone application.

SIZE	PART#	Description
2.5oz	10.11.0011	box with 10 colors



TENAX COLOR KIT 6 COLORS

Universal granite color paste for polyester & epoxy glue, come with Giallo Veneziano, Santa Cecilia, Blue Pearl, Baltic brown, Uba tuba And Black galaxy color.

SIZE	PART#	Description
2.5oz	10.11.0012	box with 06



INSTANT GLUES

An extremely fast and cost effective solution for retouching small scratches and repairing chips in most of stone.

SIZE	PART#	Description
6 Oz	10.09.0001	Spray NFC Stone Accelerator
2 Oz	10.09.0002	T Glue-Thick (green)
2 Oz	10.09.0003	T Glue-Medium (yellow)
2 Oz	10.09.0004	T Glue-Thin (red)



HARDENER

Professional use hardening paste for adhesives.

SIZE	PART#	Description
4oz	10.08.0001	Quick hardening

COLOR PIGMENTS, HARDENER AND INSTANT GLUES



XTRABOND 50

XtraBond50 is a premium grade multi-purpose siliconized acrylic latex sealant. The product is engineered to provide excellent adhesion to vinyl, aluminum, wood, sheet metal and most common building materials without need of primer. The addition of a silicone polymer provides greater flexibility than other latex products. XtraBond50 is ideal for use in the installation of windows and doors- as well as interior sealing of cultured marble and title. Installers prefer it, because the product cures rapidly to form a durable tight bond.

- ♦ Windows and doors approved.
- ♦ Excellent flexibility.
- ♦ Quick curing.
- ♦ Cleans up with water.
- ♦ Mildew resistant.
- ♦ Paintable.

SIZE	Description	PART#
10.1 oz	Clear	10.08.0002
10.1 oz	White	10.08.0003



MAX AGGRESSIVE CAULK

Max Aggressive caulk is Siliconized acrylic sealant. Its superior quality, all- purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Easy to apply and tools. Indoor and outdoor use. Max Aggressive Caulk is ideal for installations doors and windows as well as interior sealing of title and Marble. Mostly every Installer prefers it because it cures rapidly to form a durable tight bond.

- ♦ Windows and doors approved.
- ♦ Excellent flexibility.
- ♦ Kitchen and bath.
- ♦ Cleans up with water.
- ♦ Mildew resistant.
- ♦ Paintable.

SIZE	Description	PART#
10.1 oz	Clear	10.08.0024
10.1 oz	white	10.08.0025



XTRABOND 150

XtraBond150 is one component, permanently flexible, RTV(Room Temperature Vulcanizing) mildew-resistant Silicone sealant that is the industry standard. The products tough chemical resistance makes it a worry-free solution for a wide range of applications. XtraBond150 provides excellent adhesion to cultured marble, title, glass, vinyl, aluminum, and sheet metal without the need for a primer. The product is engineered to cure rapidly when exposed to atmospheric moisture, to form a durable tight bond that contractors and installers count on. A wide range of packaging options provides users with total flexibility in how the product is applied.

- ♦ Approved for cultured marble.
- ♦ Window and door approved.
- ♦ Non-sag and slump.
- ♦ Excellent adhesion to glass.
- ♦ Easy to gun, easy to tool.
- ♦ Non-paintable.

SIZE	Description	PART#
10.1 oz	Clear	10.08.0004
10.1 oz	White	10.08.0006
10.1 oz	Translucent	10.08.0005



MAX AGGRESSIVE SILICONE

Max Aggressive Silicone it's RTV Silicone sealant 100% silicone rubber sealant provides excellent adhesion to cultured Title, Marble, Aluminum, sheet metal and vinyl without the need of a primer. Cured sealant mildew resistant. Indoor/outdoor use. Max Aggressive Silicone provides very flexibility and durability, this product is made to cure rapidly when it is exposed to atmospheric moisture. It forms a durable tight bond that installers and contractors count on. A wide range of packaging options provides users with total flexibility in how the product is applied.

- ♦ Windows and door approved.
- ♦ Excellent flexibility.
- ♦ Kitchen and bath.
- ♦ Cleans up with water.
- ♦ Mildew resistant.
- ♦ Paintable.

SIZE	Description	PART#
10.1 oz	Clear	10.08.0007
10.1 oz	White	10.07.0010
10.1 oz	Translucent	10.08.0026



XTRABOND 250

XtraBond250 is a 100% acetoxy-based, high performance silicone engineered for application that require a 100% silicone solution. The product is formulated as a one component, mildew resistant sealant that is permanently Flexible and offers excellent adhesion. XtraBond250 anti-microbial formula is NSF approved and FDA compliant, so it can be used confidently around food applications. Its Resistance to moisture makes it ideal for use in High moisture areas such as marine, baths, and walk-in coolers.

- ♦ Windows and doors approved.
- ♦ Excellent flexibility.
- ♦ Quick curing.
- ♦ Cleans up with water.
- ♦ Mildew resistant.
- ♦ Paintable.

SIZE	Description	PART#
10.1 oz	Clear	10.08.0020
10.1 oz	White	10.08.0023



IDEA GOLD

Exceptional anti-stain product based on nanotechnology formulation, its protects marble and granite stones from a wide range of stains. Transparent protector used for maximum protection of all stone surfaces against water penetration, oil, and moisture. IDEA GOLD Works great even on shiny materials, allows the stone to breath, blocks efflorescence, penetrates deep, does not alter the nature color of treated surface and does not create any film. Spectacular "pearl effect": water droplets on treated surface take shape of spheres, which glide away on sloping surfaces or immediately after an air blow.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0012
5 LT	BOTTLE	10.07.0013



IDEA HP

Clear protective agent studied to protect stones against water, oil, grease and humidity. IDEA HP penetrates deep into the stone, blocks, the efflorescence and let the stone breaths and does not change the natural color of the stone; does not create unsightly plastic film. Laboratory test shows IDEA HP resists well to UV rays and the color does not change even after prolonged time. It is perfectly clear and leave unaltered the original stone color. Most suitable for façade, table, kitchen, vanity tops etc. It prevents mildew formation.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0001
5 LT	BOTTLE	10.07.0003
25 LTR	BOTTLE	10.07.0002



Proseal Premium Grade Sealer

Proseal is suitable to protect granite against liquid chemicals like beverages and similar liquids. It also works well with polished, honed, marble with high porosity. Proseal fills the pores of the stone and protects the stone from oil and water stains. The protection will last up to 4-5 years if the product is applied correctly on the surface.

SIZE	Description	PART#
1 LT	BOTTLE	10.11.0026
5 LTS	BOTTLE	10.11.0054



Hydrex Sealer

Hydrex is a penetrating sealer that prevent liquids (stains) from penetrating into the material through its micro-porosities. It is especially affective on polished granite and polished marbles.

SIZE	Description	PART#
1 LT	BOTTLE	10.11.0020
5 LTS	BOTTLE	10.11.0021

IMPREGNATORS AND SEALERS



IDEA DARK

Protective Impregnating agent, for the treatment of both shiny or rough surfaces of natural stones such as granite marbles, etc. Specific for dark or black absorbing stones, IDEA DARK enhances deeply the natural color of stone, covers scratches and flaws of dark/black stone.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0010



RAPID COLOR

Product used to brighten, antiquing and waterproofing very absorbent materials, such as Limestone, Sand stone of Lecce and Vicenza stone. IDEA RAPID COLOR gives the material a strong wet and shiny satin. It also acts as a protection against stains caused by oil, grease and moisture.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0016



STONEAGER

Hydro and oil repellent protective, impregnating, Wet effect for raw and dressed materials, Internal and external use. It protects against the penetration of water, oils, grease, and humidity.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0022



Ager Stone Color Enhancer

Suitable for color enhancing all types of marbles, travertines, stones, granites and agglomerates. Used to obtain a "wet" effect both for indoor and outdoor applications. Perfect for bringing out a deep rich color.

SIZE	Description	PART#
1 LT	BOTTLE	10.11.0001



IDEA BLACK

Deep black protective impregnating agent for treatment of black granites and stones. It is perfect to enhance color on polished black granites, where other products have difficulty to work properly. Idea Black enhances the black color of treated stone, allows to hide scratches, flaws and imperfections of black stones.

SIZE	Description	PART#
750ml	BOTTLE	10.07. 0009



UNIBLACK BLACK GRANITE

TREATMENT - Uniblack 1, is a very strong, concentrated black color enhancer designed specifically to eliminate the defects of black granite. MAINTENANCE - Uniblack 2 is a formulated black liquid wax used to increase the black effect on polished, brushed and smooth surfaces.

SIZE	Description	PART#
1 LT	UNIBLACK 1	10.11.0073
1 LT	UNIBLACK 2	10.11.0074



IDEA QUARZO

Hydro and oil repellent protective, impregnating enhancer with extra darkening action for quartz-resin surfaces and against the penetration of water, oils, grease and moisture.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0014
5LTS	BOTTLE	10.07.0015



QuartzToner Plus

Tenax QuartzToner Plus is a surface treatment that can be used to enhance quartz, engineered, and agglomerate stones. Perfect for bringing out a deep rich color in quartz and engineered stone.

SIZE	Description	PART#
1 LT	BOTTLE	10.11.0027



Pectro webbing and fissure Repair

Hide, disguise or eliminate webbing or microfissure. Petro Clear – all polished stone but works especially. Well on medium to light colored stone. Petro Black- polished dark stone. Drying time – 5 minutes.

SIZE	Description	PART#
1 LT	BACK COLOR	10.11.0023
1 LT	CLEAR COLOR	10.11.0024

ENHANCER



AntiGraffiti

This an esterified, microcrystalline wax-based product added to a special acrylic resin that protects against graffiti applied with ordinary spray cans on sale. The graffiti can be removed with abrasive pad, steel wool or steam, which will melt the layer of the product applied, thus removing the paint. In this way, cleaning is very simple and ecological.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0004



Spot Remover Mangiamacchia

It removes oil, grease, coffee, ketchup spots and others. Apply a layer of 5mm thickness. After 2/3 hours, once dry, remove using a brush.

SIZE	Description	PART#
250ml	BOTTLE	10.07.0019
750ml	BOTTLE	10.07.0020



GXTile and Grout cleaner

Highly effective detergent for cleaning the joints and gaps between the marble tiles, granite, stone, cement, pottery and stoneware. It is effective for the removal of fatty, oily and even old dried dirt, including old food substances. GTX does not affect the health and metal surfaces (faucets, sinks, cooktops).

SIZE	Description	PART#
500 ml	BOTTLE	10.07.0008



Bravo! Quartz stain remover

Tenax Bravo! Quartz Stain is a water-based remover that removes and cleans difficult stain from Quartz agglomerates. Ready to use... no mixing required. Can be used indoors and outdoors. Ideal for cleaning: organic stains like food, wine, coffee, blood as well as cosmetic residue, fingerprints, general wax residue, Candle wax residue and shoe polish.

SIZE	Description	PART#
250ml	BOTTLE	10.11



Rust Remover Mangiaruggine

Gel product, especially formulated for the elimination of stains of rust on all lapideous materials. It can be safely used also on polished marbles, without ruining the shine. The RUSTEATER Gel acts quickly and it removes rust without effort.

SIZE	Description	PART#
250 ml	BOTTLE	10.07.0021



Rust Remover Liquid

Water-based professional rust remover. For use to marble (unpolished), stone and granite. Specifically developed to remove every kind of rust residue or stain from the treated surfaces. Ready-to-use. After treatment we suggest protecting the surface with Tenax Proseal or Tenax Hydrex, according to the treated material.

SIZE	Description	PART#
1LT	BOTTLE	10.11



Tenax Teblosson Green Stain Remover Kit

Water-based professional rust remover. Remove the green stain from chip repair kits pulls out the stain caused by cyanoacrylate and activator.

SIZE	Description	PART#
4oz#1/#2 8oz#Tectean	Stain remover	10.11.0032

Bellinzoni Paste Wax



A top quality concentrated wax, dissolved in a non-inflammable solvent. A paste with exceptional polishing and protective power, due to the extremely high quality of raw materials used in its preparation. It penetrates into the material (marble, granite or stone agglomerates) and if it is then rubbed with fine steel wool, a felt pad, or a dry woolen or cotton cloth, a uniform brilliant and long-lasting mirror-finish will be achieved. Its special composition fills and seals porosities in the material and covers small scratches.

Description	PART#
Black color 1300ml	10.07.0029
Clear color 1300ml	10.07.0030



Tewax Paste wax

Tewax is used to increase the polishing effect on onyxes, marble, natural stones, granite, agglomerates, terrazzo. Also it is used to brighten up a lost polish. The application may increase the polish from 5-6 to 15-16 points of gloss. Tenax solid wax is a result of special waxes melted through solvents that allow a high penetration level on treated material leading to a long-lasting effect.

Description	PART#
Black color 1LT	10.11.0044
Clear color 1LT	10.11.0045



Bellinzoni RR/1

A warm, dry and long-lasting polish can be achieved with RR/1 which will last through several cleaning operations. It is a highly concentrated product so it can heavily diluted in water, making it very economical to use. RR/1 is also pleasantly perfumed. It provides long-lasting resistance to damage from foot traffic and does not leave patches it does not contain any of the resins that causes unsightly films.

SIZE	Description	PART#
250ML	Spray 250ML	10.07.0017



Jet Spray Self Polishing

- For non-polished surfaces that were missed during fabrication.
- Great for hard to reach areas.
- Forms film/coating on surfaces that create a polished look.
- Drying time – 15 min.
- Great job site touch up.
- Not for areas to be walked on.

SIZE	Description	PART#
250ML	Spray 250ML	10.07.0072

Bellinzoni Super Lux E3



Liquid product studied to polish and boost color of every stone material; it protects and polishes marbles, granites and stone edges. Application of SUPERLUX E3 makes the following polishing of treated material. SUPERLUX E3 is particularly suitable to be used on corners and edges, it strongly enhances color and shine to material smoothed up to 800 grit. It is available in spray form for rapid and long lasting treatment replacing the paint-brush and cloths and facilitates the polishing of engraving-work or difficult corners that otherwise cannot be treated.

SIZE	Description	PART#
750ml	Self polish	10.07.0028



Telux

- Creates a polished effect to both smooth and raw materials.
- Forms hard anti-scratch film that is extremely durable.
- Excellent for chiseled edges and the underside overhangs.
- For both counter tops and floor applications.
- UV stable- does not yellow.
- Drying time- 30-40 min. at room temperature.

SIZE	Description	PART#
1LT	Self polish	10.11.0034



**Cerafluida
Liquid Wax Classic**

Cera Fluida Liquid "Classic" is a transparent liquid wax Used to increase the polishing effect on onyxes, marble and Natural stones, granite, agglomerates, and terrazzo. The applications may increase the polish from 6-7 to 19-20 points of gloss.

SIZE	Description	PART#
750ml	BOTTLE	10.07.0053



**Bellinzoni
Liquido Wax**

Bellinzoni Preparato Liquido- Liquid Wax for Corners and Edges, Liquid wax specially formulated to intensify to enhance marble and granite colours giving them an attractive "wet look".

SIZE	Description	PART#
750ml	BOTTLE	10.07.0018



5X Marble Polishing Powder Gialla

It should be used as a final polishing to close the porosity of the material and increase brightness. Can help reduce the cost of the polishing since, depending on the marble, it can replace the last grain of diamond used for polishing.

SIZE	Description	PART#
2.2 LBS	BOTTLE	10.07.0041
44 LBS	BUCKET	10.07.0026



**Super Crystal Powder
for Marble Green**

This powder is used as a final step in achieving the high reflectivity finish that is seen on polished marble, tiles and slabs. To be used with water and a buffing pad to get excellent results.

SIZE	Description	PART#
2.2 LBS	BOTTLE	10.07.0040
44 LBS	BUCKET	10.07.0027



**Super Crystal Powder
for granite**

Polishing powder for last step or repolish of Granite.

SIZE	Description	PART#
2.2 LBS	BOTTLE	10.07.0025
44 LBS	BUCKET	10.07.0027

Eureka Quartz Polishing Gel for Quartz

EUREKA is a new polishing gel, special for polish quartz resin quickly and easily, just using a single disc, machine. EUREKA QUARTZ specifically is the idea product for polishing Engineered stones quartz based. Material can be treated to restore or to increase the original gloss, to enhance the color and to correct imperfections caused by natural wear and tear of material.

SIZE	Description	PART#
1 LT	BOTTLE	10.07.0007

Italian Craftsman

Italian Craftsman Polish is specifically formulated to clean, shine and protect Granite, marble, polished stones, wood, tormica and metal.

SIZE	Description	PART#
1 LT	BOTTLE	10.05.0016

UNDERMOUNT SINKS



SINGLE BOWL SERIES

- ◆ 18-gauge Undermount Sink.
- ◆ 32" x 18" x 9"

PART#	Description
10.21.0002	BIG SINGLE BOWL



SINGLE BOWL SERIES

- ◆ 18-gauge Undermount Sink.
- ◆ 23" x 18" x 9"

PART#	Description
10.21.0003	SMALL SINGLE BOWL



DOUBLE BOWL

- ◆ 18-gauge Undermount Sink.
- ◆ 32" x 18" x 9"

PART#	Description
10.21.0001	DOUBLE BOWL



MICRO RADIUS SINKS

- ◆ 18-gauge Undermount Sink.
- ◆ 32" x 18" x 10"

PART#	Description
10.21.0004	MICRO RADIUS

LAVATORY SINKS



LAVATORY SINKS

- ◆ White 18" x 13"

PART#	Description
10.21.0005	LAVATORY SINKS

GOLZ BS400 GAS

Cutting length 26" (650 mm)

Blade- 16" (Ø 400 mm)

Cutting depth 6" (11") 150 mm (280 mm)

- ♦ Motor Honda GX160.
- ♦ Cutting head with elastic device, easy for operation.
- ♦ 45° miter-cut.
- ♦ High efficient mechanical water pump.
- ♦ Cutting table (LxW) 24x21 in. (600x530 mm).
- ♦ Dimensions: (LxWxH) 44x25x55 in. (1110x640x1400 mm).
- ♦ Removable water tub, easy for cleaning.
- ♦ Foldable legs.
- ♦ Removable blade guard for easy blade change.
- ♦ Special water nozzle for optimized water cooling.
- ♦ Transportation wheel, easy for moving.

PART	DESCRIPTION
11.12.0004	BLOCK GAS SAW



ALUMINUM CORE DRILL STAND

Lightweight Aluminum Drill Stand for drilling holes up to 6 in. (162mm) in diameter. Quick motor disconnect system (STS), 45 degree angle device and anchor-/vacuum base.

PART#	DESCRIPTION
11.02.0001	ALUMINUM CORE DRILL STAND



HAND HELD CORE DRILLING MACHINE

3-Speed Hand Held Core Drill. For hand held or stand.

- ♦ Drilling Diameter Stand 7/8 in. (20 mm) – 8 in.
- ♦ Drilling Diameter Handheld 7/8 in. (20 mm) – 4 in.

PART#	DESCRIPTION
11.02.0002	FB20P drill stand operation



GOLZ Tile Saw TS250

Blade 10 in. (250 mm)
Cutting length 44.875 in. (1,140 mm)

- ♦ Cutting head adjustable up to 45° (Jolly cutting).
- ♦ Removable water tub, easy for cleaning.
- ♦ Foldable legs.
- ♦ Adjustable cutting length.
- ♦ Removable cutting table, easy for cleaning.
- ♦ Electric water pump with quick coupling, easy for changing the pump.
- ♦ Pluggable blade guard for easy changing of diamond blade.

PART	DESCRIPTION
11.12.0005	TILE SAW



GOLZ Bridge Saw TS350

Blade-14 in. (350 mm)
Cutting length 47.25 in. (1,200 mm)

- ♦ Cutting head adjustable up to 45°.
- ♦ Diamond blade 14 in. (350 mm).
- ♦ Max. cutting depth 4.375 in. (110 mm).
- ♦ Removable water tub, easy for cleaning.
- ♦ Electric water pump with quick coupling, easy for changing the pump.
- ♦ Foldable legs.
- ♦ Transport wheel, easy for moving and loading.
- ♦ Adjustable cutting length.
- ♦ Removable cutting table, easy for cleaning.
- ♦ The front shield prevents operator against water spray.
- ♦ Embedded cable protection chain, protects cables against damage.
- ♦ Special water nozzle for optimized water cooling.

PART	DESCRIPTION
11.12.0006	BRIDGE SAW



CONCRETE & PAVERS SEALER/SUPPLIES

URE-SEAL H2O Gloss is a 2-part water reducible, crystal-clear Urethane. It is a high-performance clear coating that can be used inside or out to protect and enhance any properly prepared concrete, pavers, or decorative concrete surface for years of service. Also available in Natural and Mid-Gloss finishes. Available in 5 gallon & 1 gallon 2-part kits.


PART	DESCRIPTION
11.01.0025	Gloss Product (05GAL)
11.01.0032	Next Gen Product (05GAL)
11.01.0033	Natural Product (05GAL)
11.01.0034	Mid-Gloss Product (05GAL)



PART#	DESCRIPTION	PART#	DESCRIPTION
11.01.0030	TOTAL KLEAN	11.01.0026	TOTAL QUICK STRIPS
11.01.0027	TOTAL PREP	11.01.0031	TOTAL RUST ERASER CONCENTRATE

ALUMINUM SANDRAKE

PART#	DESCRIPTION	PART#	DESCRIPTION
11.01.0012	Sandrake 2fts	11.01.0013	Sandrake 3fts
11.01.0014	Sandrake 4fts	11.01.0015	Sandrake 5fts
11.01.0016	Sandrake 6fts	11.01.0017	Sandrake 7fts



HOE / ENXADA COM CABO

PART#	DESCRIPTION
11.01.0001	TRAMONTINA LARGE HOE



SHORT HOE / ENXADAO COM CABO

PART#	DESCRIPTION
11.01.0029	TRAMONTINA SHORT HOE



GRABO VACUUM LIFT

PART#	Description
10.20.0034	Nemo Grabo Suction
10.20.0036	Grabo Pro Suction



CONCRETE CUP WHEEL

PART#	Description
11.11.0012	7" Cup Wheel Turbo




CONCRETE CUP WHEEL

PART#	Description
11.11.0005	7" Cup Wheel Turbo



CONCRETE CUP WHEEL

PART#	Description
11.11.0008	7" Cup Wheel Turbo



CERAMIC CUP WHEELS

- Removes scratches quickly without leaving swirl marks from traditional metal bonded cup wheels
- Lightweight and durable to help the operator work smarter and faster

PART#	Description
11.11.0014	7" Ceramic Cup #30
11.11.0015	7" Ceramic Cup #50
11.11.0016	7" Ceramic Cup #100
11.11.0017	7" Ceramic Cup #200
11.11.0018	7" Ceramic Cup #400



BURNISHING PADS

Diamond coated pads for cleaning and polishing a wide range materials such as Natural stone, Engineered stone, Terrazzo, Polished concrete. These pads will help keep your floor clean and shiny, reducing long-term maintenance costs.

PART#	DESCRIPTION	PART#	DESCRIPTION
11.07.0005	20" GRIT #400	11.07.0006	20" GRIT #800
11.07.0007	20" GRIT #1500	11.07.0008	20" GRIT #3000




DUAL-PURPOSE RESIN PADS

Velcro with interchangeable pads with varying diamond grit for grinding and polishing of concrete, cement overlays, and stone floors. We offer seven different grit sizes, from 50 to 3000. Once you finish with one grit size, simply pull of and put on the next pad. This eliminates the need to change the entire pad every time.

PART#	DESCRIPTION	PART#	DESCRIPTION
11.08.0008	9" GRIT #50	11.08.0009	9" GRIT 100
11.08.0010	9" GRIT #200	11.08.0011	9" GRIT 400
11.08.0012	9" GRIT #800	11.08.0013	9" GRIT 1500
11.08.0014	9" GRIT 3000		

CONCRETE RESTORATION PADS



METAL HYBRID RESIN FLOOR PADS

- ♦ Hybrid bond of metal and resin to remove any remaining scratches.
- ♦ And prepare the floor for final polishing.

PART#	DESCRIPTION	PART#	DESCRIPTION
11.08.0027	3" #30	11.08.0028	3" #50
11.08.0029	3" #100	11.08.00230	3" #200
11.08.0031	3" #400	11.08.0013	9" GRIT 1500
11.08.0014	9" GRIT 3000		



RY WHITE RESIN FLOOR PADS

- ♦ Used as a final polish, the resin bonded pads are specially
- ♦ designed for a slow wear rate, ensuring long pad life.

PART#	DESCRIPTION	PART#	DESCRIPTION
11.08.0046	3" #50	11.08.0040	3" #100
11.08.0041	3" #200	11.08.0042	3" #400
11.08.0043	3" #800	11.08.0044	3" #1500
11.08.0045	3" #3000		

TERMS AND CONDITIONS**Credit Policy**

To qualify for an open account status, a credit application must be completed in full. Satisfactory references are required. Those approved for open account are notified by email. Companies not qualifying for open account are either C.O.D. or cash with order. The amount of credit we extend to a customer is subject to change or limitation at any time, either before or after the delivery or any part thereof of an order. Payment in cash may be required as a precedent to delivery. If a customer account is in arrears, we shall have the right, in addition to all other legal remedies, and without prejudice to any other of our rights, to defer further deliveries until full payment is received. Receipt of payment, whether full or partial, shall in no way obligate us to extend further credit. In case the business of a customer is sold or transferred, or a customer becomes insolvent, or is sued by any creditor, or by customer, or a receiver is appointed for the customer or the customer's business, then in each such event the total amount shall be at once due and payable without notice or demand of any kind. Should a customer's check be returned by the bank, there will be a returned check charge, which is currently \$50. This fee is subject to change without notice.

Statement of Liability

The following statement is made in lieu of all warranties, expressed or implied; our company and/or manufacturer's only obligation shall be to replace such quantity of product proven to be defective provided that such guarantees or replacement are a stated policy of the manufacturer.

Our company and/or manufacturer shall not be liable for any injury, loss or damage, direct, incidental or consequential, arising out of the use or the inability to use the product. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection herewith. The foregoing may not be altered except by officers of this company.

Terms of Sale

Our terms are net 07 days, 14 days, 21 days and 28 days from date of invoice, past due thereafter. On the 28 days terms a service charge of 4.99% per month will be charged on all accounts not paid by the month end. First-time shipments are sent C.O.D. or by credit card. We accept Mastercard, VISA, American Express and Discover Card.

Special Orders & Large Equipment

All purchase order for large equipment and machines, including, but not limited to, environmental equipment, saws, Stoney Cyclers, crane systems, and non-stocked or custom products, including special orders, are subject to a minimum 50% deposit in order to process order. Due to manufacturers' requirements, such orders are non-cancelable, and deposits are non-refundable. These orders will also be charged appropriate freight.

Air Tool Repair Policy

All Machine tools offer a 1-Month limited warranty against factory defects from the date of purchase. please obtain an RGA from Web Granite Supplies® Customer Service prior to return the tool). All Air Tool warranty and non-warranty repairs are to be sent directly to Vendor through Web Granite Supplies.

Warranties By Manufacturer

Makita: All Makita power tools offer a 1-year limited warranty against factory defects from the date of purchase. Makita offers a tool replacement for any tool that fails within the first 30 days from the date of purchase (please obtain an RGA from Web Granite Supplies® Customer Service prior to replacing the tool). All Makita warranty and non-warranty repairs are to be sent directly to Makita through Web Granite Supplies.

ABACO: All Abaco products offer a 1-year limited warranty against factory defects from the date of purchase.

IN-WARRANTY REPAIR OR REPLACEMENT. Products repaired or replaced pursuant to their initial warranty shall remain in warranty for a period of ninety (90) days from date of the shipment of the repaired or replacement product to the Customer, or for the remainder of the initial warranty period, whichever is longer. This warranty shall apply only to the repair or replacement action taken. (For informational purposes, Abaco's standard product warranty, as set forth in its standard Conditions of Sale, provides for a warranty period of one (1) year from the date of shipment.) Should the product not be reasonably repairable due to the Customer's improper storage, installation, use or maintenance, or any other event which is not the fault of Abaco, the Customer shall be liable for the full price of any replacement product and for any unavoidable repair activity carried out on the returned product.

PRODUCT RECEIVING & ASSISTANCE POLICY

Immediately upon receipt of any product, the customer is required to do a visual inspection of the carton/pallet. The customer must then verify the quantities of products on the PACKING LIST/INVOICE and the carrier's paperwork vs. actual items received. A proper/authorized signature and date is required on carrier paperwork and/or delivery receipt. The signature must be legible. If the signature is not legible, the customer's representative must print their name.

How to Handle Exceptions or Discrepancies at Time of Product Delivery

a) USP / USPS / FedEx Ground

If the carton packaging appears to have visible damage (i.e., ripped, holes, large dents, open carton, visible water damage, etc.), we strongly recommend that the customer conducts an immediate inspection of the product inside the carton while the carrier's driver is present, to verify the damage. If the contents are damaged, the damage must be indicated/noted on the carrier's paperwork. Please REFUSE the package always when the item damaged is the only item on the package/box. DO NOT REFUSE the shipment if damages are partial.

b) Freight Companies (Saia, Southeastern, FedEx Freight, others)

If the pallet(s) appears to have visible damage (i.e., ripped, holes, large dents, open carton, visible water damage, we strongly recommend that the customer conducts an immediate inspection of the product while the carrier's driver is present, to verify the damage. the damages must be indicated / noted carrier's paperwork. Please DO NOT REFUSE the shipment if damages are partial. Please take pictures of the damages, note the damages on the shipper's form and contact us by e-mail within 3 days of the delivery date.

If the contents cannot be inspected immediately, a notation on the carrier's paperwork must state "cartoon damaged" "subject to inspection" and a detailed, specific list of the type of damages on the outside of the carton must be noted on the delivery receipt. Contents must be inspected within 3 days of the delivery date and actual damages reported to the carrier.

SPECIAL NOTE: The customer is not justified in refusing a damaged shipment unless the damage has made the goods worthless. in cases of partial damage or loss, the customer should accept the entire shipment and notify us so we can start the return/credit process.

Carton Shortages Against Delivery Receipt

When a delivery is made and the carrier does not have the number of cartons on the shipping information, the customer must sign the carrier's paperwork as "short; indicate # of cartons short." The customer must then notify us by e-mail immediately.

Order Cancellations After Unit Has Shipped

When an order has been cancelled after the unit(s) has shipped, the customer must refuse the shipment. The customer must sign the carrier paperwork as "carton used, order cancelled." The customer must notify us by e-mail. The customer is responsible for freight charges and a 35% restocking fee if the order is cancelled after it has shipped from us. Custom/Special orders cannot be cancelled after being shipped.

Change of Destination or Re-consignment

When a shipment destination has been changed or re-consigned, the customer must refuse the shipment and sign the carrier paperwork as "carton refused, wrong delivery location." The Dealer must notify us immediately by e-mail with the correct delivery address. The customer is responsible for all additional freight charges if incorrect address information came from the customer.

The above policies must be followed, or the customer will be responsible for shipping charges and other fees that may be incurred. Except as stated above, customers who refuse delivery of ordered products without prior approval will be responsible for all freight charges and a 35% re-stocking charge.

RETURN POLICY

A Return Merchandise Authorization (RMA#) is required for all product returns. A RMA# and shipping instructions can be obtained by contacting us via e-mail. No returns will be accepted without a RMA#.

A 35% restock fee will be applied to all returned goods on stock material (non-defective products).

All returns must be shipped back in original, unopened packaging in order to receive credit.

No returns authorized after 90 days from date of purchase.

No returns will be accepted, or credit issued on used products, unless they are proven to be defective.

All claims of shortages must be reported to customer service within 48 hours of receipt.

No returns will be authorized on Hazmat products, chemicals, or adhesives.

Customers must pay shipping charges on all returns. Upon receipt and inspection of the product return, we will issue a refund on shipping charges if it is proven that there was a shipping error, or the product was defective.

WEB GRANITE SUPPLIES® does not guarantee the accuracy or completeness of the information provided in this catalog, WEB GRANITE SUPPLIES® reserves the right to correct any errors, inaccuracies or omissions and to change or update information at any time without prior notice (including after you have submitted your order). Please note that such errors, inaccuracies or omissions may relate to product description, pricing and availability. Photos may vary. Pricing and shipping & handling rates are subject to change without notice. We apologize for any inconvenience this may cause you.



WEB GRANITE SUPPLIES

Orlando Fort Myers



Web Granite Supplies is committed to serve our customers for their diamond tool needs in stone and Concrete fabrication. Together with our partner companies, we supply a top series of diamond tools and market them to a broad array of customers in North America.

Our company have enjoyed a great success since their introduction to the North America market in 2006. In particular, the new business model that we have recently established with our partners ensures an uninterrupted supply of quality diamond tools at unmatched prices. While continuously improving the quality of our current product offering, we at Web Granite Supplies also work to expand our portfolio and to customize our products for your specific needs.

We strive to be the best at what we do - to provide you with value. Combining quality, price, and service will make you a happy customer and enhance the competitiveness of your business.


Web Granite Supplies
12541 Metro
Pkwy 03-04
Fort Myers
FL 33966

 @WEBGRANITESUPPLIES_

 WEBGRANITESUPPLIES

 WEBGRANITESUPPLIES.COM

 (239) 810-1300

 (863) 722-5892

THE BEST CHOICE OF DIAMOND TOOLS

Distribution Center Headquarter

12541 Metro Pkwy 03-04
Fort Myers, FL 33966

☎ Fort Myers - FL
(239) 344-9128

🏠 (239) 362-0456

Other Locations

Jacksonville: (407) 222-1874

Fort Myers : (239) 850-5434

Orlando : (407) 432-8246

Tampa: (407) 222-0654

☎ Orlando - FL
(321) 307-2424

🏠 (407) 237-0199

WEBGRANITESUPPLIES.COM